Carton

## Precor® EC

#### **EMULSIFIABLE CONCENTRATE**

Prevents the Emergence of Adult Fleas Indoors

COMMERCIAL WARNING: EYE AND SKIN IRRITANT

GUARANTEE: (S)-Methoprene ... 1.2% REGISTRATION NO. 21573 PEST CONTROL PRODUCTS ACT

READ THE CARTON AND LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

SHAKE WELL BEFORE USING

NET CONTENTS: 10 x 10 x 30 mL bottles

Wellmark International, 100 Stone Road West, Suite 111, Guelph ON N1G 5L3

1-800-263-2740

**INTRODUCTION:** Precor EC acts on an immature life stage **of** the cat and dog flea, preventing the adult flea from developing. Flea eggs deposited on, and larvae crawling onto, treated areas will not develop into adult fleas. Existing adult fleas and flea pupae are not affected.

Do not mix this product with any materials other than listed on this label. When applied to surfaces where fleas are found, such as carpets, upholstered furniture and pet sleeping areas, PRECOR EC prevents adult flea emergence for 210 days.

Flea control on pets is important in prevention of introduction of adult fleas indoors. When using this product, and fleas are problems on pets, the pets should be treated with an effective registered flea control product to prevent the introduction of adult fleas indoors.

#### **DIRECTIONS FOR USE:**

**METHOD AND RATE OF APPLICATION:** Prepare a diluted spray solution by adding 30 millilitres of PRECOR EC to 4 litres of water. To prepare this solution, partially fill the mixing container with water, add appropriate amount of PRECOR EC, agitate, and fill to final volume. Use diluted spray solution within 48 hours of mixing. Shake before each use.

Apply at a rate of 4 litres of diluted solution per 140 square metres of surface area (i.e. approximately 1,500 ft2) with any low pressure sprayer typically used for indoor applications. Treat all areas which may harbour fleas including carpets, furniture, pets sleeping areas and throw rugs. Treat under cushions of upholstered furniture.

**STORAGE & DISPOSAL:** Store in a cool place. 1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank. 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

PRECAUTIONARY STATEMENTS: KEEP OUT OF REACH OF CHILDREN AND PETS. Causes eye irritation. DO NOT get in eyes. Causes skin irritation. DO NOT get on skin. Wash hands after use. Do not use near food or cooking and eating utensils. Keep people and pets out of area during treatment. Avoid contact with treated surfaces until spray has dried. Do not use in any food handling establishments (including food processing plants, food storage areas, restaurants and other commercial food handling establishments). In homes, remove or cover all food before spraying. After application, wash any treated surfaces that may contact food. Do not use in food storage or food production areas. Wear long sleeved shirt and long pants, chemical resistant gloves and goggles or face shield during mixing/loading, application, clean-up and repair.

FIRST AID TREATMENT: In case of contact with eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If ingested, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number you when seeking medical attention with you when seeking medical attention.

**TOXICOLOGICALINFORMATION:** Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Precor is a registered trademark of Wellmark International.

Label

## Precor® EC

#### **EMULSIFIABLE CONCENTRATE**

Prevents the Emergence of Adult Fleas Indoors

COMMERCIAL WARNING: EYE AND SKIN IRRITANT

GUARANTEE: (S)-Methoprene ... 1.2% REGISTRATION NO. 21573 PEST CONTROL PRODUCTS ACT

READ THE CARTON AND LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

SHAKE WELL BEFORE USING

NET CONTENTS: 10 x 10 x 30 mL bottles

Wellmark International, 100 Stone Road West, Suite 111, Guelph ON L1G 5L3

1-800-263-2740

**INTRODUCTION:** Precor EC acts on an immature life stage **of t**he cat and dog flea, preventing the adult flea from developing. Flea eggs deposited on, and larvae crawling onto, treated areas will not develop into adult fleas. Existing adult fleas and flea pupae are not affected.

Do not mix this product with any materials other than listed on this label. When applied to surfaces where fleas are found, such as carpets, upholstered furniture and pet sleeping areas, PRECOR EC prevents adult flea emergence for 210 days.

Flea control on pets is important in prevention of introduction of adult fleas indoors. When using this product, and fleas are problems on pets, the pets should be treated with an effective registered flea control product to prevent the introduction of adult fleas indoors.

#### **DIRECTIONS FOR USE:**

**METHOD AND RATE OF APPLICATION:** Prepare a diluted spray solution by adding 30 millilitres of PRECOR EC to 4 litres of water. To prepare this solution, partially fill the mixing container with water, add appropriate amount of PRECOR EC, agitate, and fill to final volume. Use diluted spray solution within 48 hours of mixing. Shake before each use.

Apply at a rate of 4 litres of diluted solution per 140 square metres of surface area (i.e. approximately 1,500 ft2) with any low pressure sprayer typically used for indoor applications. Treat all areas which may harbour fleas including carpets, furniture, pets sleeping areas and throw rugs. Treat under cushions of upholstered furniture.

**STORAGE & DISPOSAL:** Store in a cool place. 1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank. 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

PRECAUTIONARY STATEMENTS: KEEP OUT OF REACH OF CHILDREN AND PETS. Causes eye irritation. DO NOT get in eyes. Causes skin irritation. DO NOT get on skin. Wash hands after use. Do not use near food or cooking and eating utensils. Keep people and pets out of area during treatment. Avoid contact with treated surfaces until spray has dried. Do not use in any food handling establishments (including food processing plants, food storage areas, restaurants and other commercial food handling establishments). In homes, remove or cover all food before spraying. After application, wash any treated surfaces that may contact food. Do not use in food storage or food production areas. Wear long sleeved shirt and long pants, chemical resistant gloves and goggles or face shield during mixing/loading, application, clean-up and repair.

FIRST AID TREATMENT: In case of contact with eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If ingested, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number you when seeking medical attention with you when seeking medical attention.

**TOXICOLOGICALINFORMATION:** Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Precor is a registered trademark of Wellmark International.

# Precor® EC

COMMERCIAL WARNING: EYE AND SKIN IRRITANT GUARANTEE: (S)-Methoprene ... 1.2%

REGISTRATION NO. 21573
PEST CONTROL PRODUCTS ACT

# READ THE CARTON AND LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN SHAKE WELL BEFORE USING

NET CONTENTS: 30 mL

Wellmark International, 100 Stone Road West, Suite 111, Guelph ON N1G 5L3 1-800-263-2740

Precor is a registered trademark of Wellmark International

\*\*\*\*\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.