DRIONE® INSECTICIDE POWDER

*COMMERCIAL

*CONTAINING PYRETHRINS, PIPERONYL BUTOXIDE AND AMORPHOUS SILICA GEL

*COMBINES THE FLUSHING AND KILLING POWERS OF PYRETHRINS AND PIPERONYL BUTOXIDE AND THE DEHYDRATING EFFECT OF SILICA GEL

GUARANTEE:

Pyrethrins	1.0%
Piperonyl Butoxide, Technical	.10.0%
Amorphous Silica Gel	.40.0%

REGISTRATION NO. 15255 PEST CONTROL PRODUCTS ACT READ THE LABEL BEFORE USING

FIRST AID

In case of contact with skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. wash with soap and water. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention

TOXICOLOGICAL INFORMATION: Treat symptomatically

PRECAUTION

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid contact with skin and avoid inhaling powder.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate food or feed or food processing equipment. Thoroughly wash with potable water all treated food preparation surfaces and food processing equipment.

NET CONTENTS: 2.26kg - 54.20kg

Bayer CropScience Inc.* Suite 100 –3131 114th Street Calgary, AB T2Z 3X2

Telephone: 1-888-283- 6847

In case of Medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-334-7577.

DIRECTIONS FOR USE

This product is a finely divided powder which combines the flushing and killing powers of pyrethrins and piperonyl butoxide with the dehydrative principle of thermally attrited hydrogel.

It is relatively odorless and non- staining and may be used in accordance with directions in homes, restaurants, stores, hotels, offices, plants, warehouses, truck trailers and railroad cars. When used as directed, it is effective in controlling such insects as Ants, Cockroaches, Silverfish, Bed Bugs, and Fleas.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS:

Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets; hotels, motels, hospitals and schools: Limited to Crack and Crevice Treatment Only - Using a bulbous duster apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where Cockroaches, Ants, Silverfish, Spiders and Crickets hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

NON-FOOD AREAS:

Homes, institutions, hospitals, office buildings, hotels, motels, theaters, schools, truck trailers and railroad cars:

To control such running and crawling insect life as Ants, Cockroaches, Silverfish and Fleas in animal quarters, distribute Drione at the rate of 60 grams per 10 square meters of surface area. Apply a continuous visible film underneath and behind stoves, refrigerators and appliances. Treat on, around and behind

molding, shelving, baseboards, pipe openings, cracks, crevices and other areas where insects may hide. For severe infestations, apply Drione behind cabinets and walls, in crawl spaces and attics, at the rate of 500 grams per 100 square meters of surface area. Repeat treatment as necessary.

Bed Bugs: Take bed apart. Dust into joints and channels. If hollow, such as square or around tubing, see that the interior of framework is well dusted. Mattress should be dusted, especially tufts, folds and edges. Picture frame moldings and all cracks and crevices in the room should be treated.

DISPOSAL

- 1. Thoroughly empty the contents of the container into the application device
- 2. Make the empty container unsuitable for further use.
- 3. Dispose of the container in accordance with provincial requirements.
- 4. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

040204

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.