


Canadian WHMIS Standards & GHS Rev04

Issue date 06/11/2018

Product and Company Identification

Reviewed on 01/01/2023

· Product Identifier: · Trade Name: Fumi-Cel® and Fumi-Strip® Reg. No. 26188 Pest Control Product Act · Product Description: Fumigant for Insect Control • Application of the substance / the mixture: Fumigants used to treat raw agricultural commodities, processed foods, non-food commodities. · Details of the Supplier of the Safety Data Sheet: · Manufacturer/Supplier: **DEGESCH** America, Inc. 153 Triangle Dr. P.O. Box 116 Weyers Cave, VA 24486 USA Telephone: (540) 234-9281 / 800-330-2525 Telefax: (540) 234-8225 www.degeschamerica.com degesch@degeschamerica.com · Emergency telephone number: For human or animal emergencies: 1-800-308-4856 (Rocky Mountain Poison and Drug Center) For all other chemical emergencies: 1-800-424-9300 (Chemtrec) Emergency and Information - DEGESCH America, Inc.: (540) 234-9281 / 800-330-2525 Hazard(s) Identification · Classification of the substance or mixture: GHS02 Flame Pyrophoric Solids - Category 1 H250 Catches fire spontaneously if exposed to air. Substances and Mixtures Which, in Contact with Water, H260 In contact with water releases flammable Emit Flammable Gases - Category 1 gases which may ignite spontaneously. GHS06 Skull and crossbones H300 Fatal if swallowed. Acute Toxicity (Oral) - Category 1 Acute Toxicity (Inhalation) - Category 1 H330 Fatal if inhaled. **GHS05** Corrosion Serious Eye Damage - Category 1 H318 Causes serious eye damage.



Aquatic Acute 1

H400 Very toxic to aquatic life.



Canadian WHMIS Standards & GHS Rev04

Issue date 06/11/2018

Reviewed on 01/01/2023

## Trade Name: Fumi-Cel® and Fumi-Strip® Reg. No. 26188 Pest Control Product Act

Skin Irritation - Category 2

H315 Causes skin irritation.

- · Label elements:
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms:



GHS02 GHS05 GHS06 GHS09

- · Signal word: Danger
- · Hazard-determining components of labeling:
- Magnesium Phosphide

## Hazard statements:

- H250 Catches fire spontaneously if exposed to air.
- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H300+H330 Fatal if swallowed or if inhaled.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.
- Precautionary statements:
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P222 Do not allow contact with air.
- P223 Do not allow contact with water.
- P231+P232 Handle and store contents under inert gas. Protect from moisture.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P284 [In case of inadequate ventilation] wear respiratory protection.
- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- P330 Rinse mouth.

P302+P335+P334 IF ON SKIN: Brush off loose particles from skin. Immerse in cool water.

- P302+P335+P334 IF ON SKIN: Brush off loose particles from skin. Immerse in cool water or wrap in wet bandages.
- P302+P352 If on skin: Wash with plenty of water.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P320 Specific treatment is urgent (see on this label).
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: CO2, sand, extinguishing powder.
- P391 Collect spillage.
- P402+P404 Store in a dry place. Store in a closed container.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 3)

Canadian WHMIS Standards & GHS Rev04

Issue date 06/11/2018

P501

Reviewed on 01/01/2023

## Trade Name: Fumi-Cel® and Fumi-Strip® Reg. No. 26188 Pest Control Product Act

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values. 26 % of the mixture consists of an ingredient or ingredients of unknown acute toxicity.

• NFPA ratings (scale 0 - 4)



Health = 4 Fire = 4 Reactivity = 2

The substance demonstrates unusual reactivity with water.

· HMIS-ratings (scale 0 - 4)

HEALTH *4	Health = *4
FIRE 0	Fire = 0
REACTIVITY 2	Physical Hazard = 2

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on ingredients:

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous	Components:		
12057-74-8	Magnesium Phosphide		
	<ul> <li>Substances and Mixtures Which, in Contact with Water, Emit Flammable Gases - Category 1, H260; Acute Toxicity (Oral) - Category 2, H300; Acute Toxicity (Dermal) – Category 3, H311; Acute Toxicity (Inhalation) - Category 1, H330; Aquatic Acute 1, H400</li> </ul>		
	Proprietary	2-12% w/w *	
	Eye Irritation - Category 2A, H319; Specific Target Organ Toxicity - Single Exposure - Category 3, H335		
	Proprietary	≤2.5% w/w	
	Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Specific Target Organ Toxicity - Single Exposure - Category 3, H335		

\* Actual concentration ranges are withheld as a trade secret.

## Additional information:

Magtoxin Fumi-Cel & Fumi-Strip react with water to produce phosphine (hydrogen phosphide, PH3, CAS No. 7803-51-2) as shown in Equation 1.

1) Mg3P2 + 6H2O ---> 3Mg(OH)2 + 2PH3

4 First-Aid Measures

## Description of first aid measures

## · General information:

Immediately remove any clothing soiled by the product.

Symptoms of overexposure are headache, dizziness, nausea, difficult breathing, vomiting, and diarrhea. In ALL cases of overexposure, get medical attention immediately. Take victim to a doctor or emergency treatment facility.

Have product container label or applicator's manual with you when calling a poison control center, doctor, or when going for treatment.

Canadian WHMIS Standards & GHS Rev04

Issue date 06/11/2018

Reviewed on 01/01/2023

## Trade Name: Fumi-Cel® and Fumi-Strip® Reg. No. 26188 Pest Control Product Act

## · After inhalation:

Get exposed person to fresh aid. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible. Contact a poison control center or doctor for treatment advice.

· After skin contact:

Take off contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

After eye contact:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. • After swallowing:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person. Do not induce vomiting unless told to by a poison control center or doctor.

#### Information for doctor

#### Most important symptoms and effects, both acute and delayed:

Magnesium phosphide fumigant products react with moisture from the air, acids and many other liquids to release phosphine gas (hydrogen phosphide, PH3). Mild exposure by inhalation causes malaise (indefinite feeling of sickness), headache, ringing in the ears, fatigue, nausea and pressure in the chest which is relieved by removal to fresh air. Moderate poisoning causes weakness, vomiting, pain just above the stomach, chest pain, diarrhea and dyspnea (difficulty breathing). Symptoms of severe poisoning may occur within a few hours to several days resulting in pulmonary edema and may lead to dizziness, cyanosis, unconsciousness, and death.

#### Indication of any immediate medical attention and special treatment needed: No further relevant information available.

## 5 Fire-Fighting Measures

#### · Extinguishing media

#### Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water.

Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: Water

## Special hazards arising from the substance or mixture:

Phosphine (hydrogen phosphide, PH3)-air mixtures at concentrations above the LEL of 1.8% v/v (18,000 ppm) may ignite spontaneously. Ignition of high concentrations of phosphine gas (hydrogen phosphide, PH3) can product a very energetic reaction. Explosions can occur under these conditions and may cause severe personal injury. Never allow the buildup of phosphine gas (hydrogen phosphide, PH3) to exceed explosive concentrations. Open containers of metal phosphides in open air only and never in a flammable atmosphere. Do not confine spent or partially spent dust from metal phosphide fumigants as the slow release of phosphine gas (hydrogen phosphide, PH3) from these materials may result in the formation of an explosive atmosphere. Spontaneous ignition may occur if large quantities of magnesium phosphide are piled in contact with liquid water. This is particularly true if quantities of these materials are placed in an environment which can provide partial confinement of the hydrogen phosphide gas liberated by hydrolysis.

If incinerated, product will release the following toxic materials: Oxides of magnesium, phosphorous, nitrogen (NOx), carbon, aluminum and silicon, phosphine gas (hydrogen phosphide, PH3) and phosphoric acid.

## Advice for firefighters

Magnesium phosphide is not flammable by itself. However, it reacts readily with water to produce phosphine gas (hydrogen phosphide, PH3) which may ignite spontaneously in air at concentrations above its LEL of 1.8% v/v (18,000 ppm). The UEL of phosphine gas (hydrogen phosphide, PH3) is unknown. The paper covering and polyethylene matrix of the products are flammable.

Canadian WHMIS Standards & GHS Rev04

Issue date 06/11/2018

Reviewed on 01/01/2023

## Trade Name: Fumi-Cel® and Fumi-Strip® Reg. No. 26188 Pest Control Product Act

## · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

Wear a NOISH approved full-face gas mask – phosphine gas canister combination may be used at levels up to 15 ppm or following manufacturers' use conditions instructions for escape . Above 15 ppm or in situations where the phosphine gas concentration is unknown, a NIOSH approved SCBA must be worn.

## 6 Accidental Release Measures:

## · Personal precautions, protective equipment and emergency procedures:

Respiratory protection will most likely be required during cleanup of spilled magnesium phosphide fumigants. If the concentration of phosphine (hydrogen phosphide, PH3) is unknown, NIOSH approved SCBA or its equivalent must be worn. Full-face gas mask canister combinations may only be worn at concentrations no higher than 15 ppm.

#### Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

#### Methods and material for containment and cleaning up:

If possible, dispose of spilled material by use according to label instructions. Freshly spilled material which has not been contaminated by water or foreign matter may be placed into original or other gas-tight containers. Punctured pouches or containers may be temporarily repaired using aluminum tape. If the age of the spill is unknown or if the product has been contaminated with soil, debris, water, etc., gather up the spillage in small open buckets having a capacity no larger than about 1 gallon. Do not add more than about 0.5 kg (1 lb.) to a bucket. If on-site wet-deactivation is not feasible, transport the uncovered buckets in open vehicles to a suitable area.

Small amounts of spillage, from about 2 to 4 kg (4 to 9 lbs.) may be spread out over the ground in an open area to be deactivated by atmospheric moisture. Alternatively, spilled magnesium phosphide fumigants may be deactivated by the wet method as described in the following:

Wet Deactivation of Spilled Fumi-Cel and Fumi-Strip Products:

1. Spilled Fumi-Cel and Fumi-Strip may be deactivated with water. Do not use detergent for the deactivation of these products. Fill the container in which the deactivation is to be performed with water to within a few inches of the top.

2. The spilled material is added slowly to the water. Products may ignite during wet deactivation if they are allowed to float to the surface. Add weights or otherwise ensure that the materials stay submerged until deactivation is complete. At no time should the deactivation container be covered.

3. Due to the reactivity of magnesium phosphide, additions of spilled product to the water should be made slowly and carefully. This should be done in open air and respiratory protection will probably be required.

4. Allow the mixture to stand, with occasional stirring, for about six hours. Do not cover the container. The mixture will then be safe for disposal.

5. Dispose of the deactivated material, with or without preliminary decanting, at a sanitary landfill or other suitable site approved by local authorities. Where permissible, the deactivation water containing spent dust may be poured into a storm sewer or out onto the ground.

## Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7 Handling and Storage

#### · Handling

## · Precautions for safe handling:

Store in a cool, dry place in tightly closed containers. Avoid creating and breathing dust/fume/gas/mist/vapors/spray. Ensure good ventilation/exhaustion at the workplace.

Canadian WHMIS Standards & GHS Rev04

Issue date 06/11/2018

Reviewed on 01/01/2023

## Trade Name: Fumi-Cel® and Fumi-Strip® Reg. No. 26188 Pest Control Product Act

Open and handle receptacle with care. • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep protective respiratory device available.

- **Conditions for safe storage, including any incompatibilities** Store away from water, acids, bases, strong oxidizing agents and strong reducing agents.
- · Storage
- **Requirements to be met by storerooms and receptacles:** Store products in a locked, dry, well-ventilated area away from heat. Post as a pesticide storage area. Do not store in buildings inhabited by humans or domestic animals.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well-sealed containers.
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

Respiratory protection will most likely be required while using magnesium phosphide fumigants. If the concentration of phosphine (hydrogen phosphide, PH3) is unknown, NIOSH/MSHA approved SCBA or its equivalent must be worn. Full-face gas mask canister combinations may only be worn at concentrations no higher than 15 ppm.

Protection of hands:

Wear dry gloves of cotton or other material if contact with tablets, pellets , or dust is likely. Gloves should remain dry after use. Aerate gloves and other clothing that may be contaminated in a well-ventilated area prior to laundering.



Protective gloves

· Material of gloves: Dry gloves of cotton or other material.

Canadian WHMIS Standards & GHS Rev04

Issue date 06/11/2018

Reviewed on 01/01/2023

- Trade Name: Fumi-Cel® and Fumi-Strip® Reg. No. 26188 Pest Control Product Act
- · Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection:



Tightly sealed goggles

• *Limitation and supervision of exposure into the environment:* Keep away from drains, surface and ground waters. Avoid release into the environment.

## 9 Physical and chemical properties

<ul> <li>Information on basic physical and chemical properties</li> <li>General Information</li> </ul>	
<ul> <li>Appearance:</li> <li>Form:</li> <li>Color:</li> <li>Odour:</li> </ul>	Solid Dark charcoal gray Garlic, carbide or decaying fish
· pH-value:	Not applicable.
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Mg3P2 = > 1000 ℃ (Mg37P36 = > 1832 ℉) (PH3 = -133.5 ℃) Mg3P2 = > 1000 ℃ (Mg37P36 = > 1832 ℉) (PH3 = -87.7 ℃)
· Flash point:	Not determined.
· Flammability (solid, gaseous):	Contact with water or acids liberates extremely flammable gases.
· Ignition temperature:	Not determined
· Decomposition temperature:	Decomposes at ambient conditions when moisture is present.
· Auto igniting:	Spontaneously flammable in air.
· Danger of explosion:	Not determined.
• Explosion limits: Lower: Upper:	1.8 Vol % (for PH3) Non établi Vol % (for PH3)
· Vapor pressure:	Mg3P2 = 0 mm Hg PH3 = 40 mm Hg @ -129.4 °C
· Density:	Mg3P2 = 2.06 g/cm <sup>3</sup> (Mg25.035P16.69 = 17. lbs/gal) (PH3 = 1.37 g/l gas)
<ul> <li>Relative density:</li> <li>Vapor density:</li> <li>Evaporation rate:</li> </ul>	Not determined. Not applicable. Not applicable.
<ul> <li>Solubility in / Miscibility with: Water:</li> </ul>	Mg3P2 = Insoluble, reacts PH3 = 26 cc in 100 ml at 17 °C
· Partition coefficient (n-octanol/water)	: Not determined.
Vieneeity	

 Viscosity: Dynamic:

Canadian WHMIS Standards & GHS Rev04

Issue date 06/11/2018

Reviewed on 01/01/2023

## Trade Name: Fumi-Cel® and Fumi-Strip® Reg. No. 26188 Pest Control Product Act

Kinematic:	Not applicable.
<ul> <li>Solvent content: VOC content:</li> </ul>	0.00 %
Solids content: • Other information:	100 % No further relevant information available.

## 10 Stability and reactivity

- · Reactivity: No further relevant information available.
- Chemical stability:

Products are stable to most chemical reactions, except for hydrolysis. Products will react with moist air, liquid water, acids and some other liquids to produce toxic and flammable phosphine (hydrogen phosphide, PH3) gas.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** Contact with water releases flammable gases.

Contact with water releases toxic gases.

- · Conditions to avoid: Avoid prolonged exposure to air.
- Incompatible materials: Water, acids, bases, strong oxidizing agents and strong reducing agents.
- Hazardous decomposition products:

Oxides of magnesium, phosphorous, nitrogen (NOx), carbon, aluminum and silicon, phosphine gas (hydrogen phosphide, PH3) and phosphoric acid.

## Additional information:

Phosphine (hydrogen phosphide, PH3) gas may react with certain metals and cause corrosion, especially at higher temperatures and relative humidity. Metals such as copper, brass and other copper alloys, and precious metals such as gold and silver are susceptible to corrosion by phosphine. Small electric motors, smoke detectors, brass sprinkler heads, batteries and battery chargers, fork lifts, temperature monitoring systems, switching gears, communication devices, computers, calculators and other electrical equipment may be damaged by this gas. Phosphine (hydrogen phosphide, PH3) will also react with certain metallic salts and, therefore, sensitive items such as photographic film, some inorganic pigments, etc., should not be exposed.

## 1 Toxicological information

- · Information on toxicological effects:
- Acute toxicity:

· LD/LC50	values th	at are relevant for classification:
12057-74	-8 Magnes	sium Phosphide
Oral	LD50	>5,000 mg/kg (Rat)
Proprieta	ary	
Oral	LD50	>10,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rabbit)
12057-74	-8 Magnes	sium Phosphide
Oral	LD50	>5,000 mg/kg (Rat)
7803-51-2 Phosphine		
Inhalative	e LC50/4 h	n 11 ppm (Rat)

## · Primary irritant effect:

• On the skin:

Strong caustic effect on skin and mucous membranes. Irritant to skin and mucous membranes.

On the eye:

Strong irritant with the danger of severe eye injury.

3 3

## Safety Data Sheet

Canadian WHMIS Standards & GHS Rev04

Issue date 06/11/2018

Reviewed on 01/01/2023

## Trade Name: Fumi-Cel® and Fumi-Strip® Reg. No. 26188 Pest Control Product Act

Corrosive effect.

## Causes serious eye irritation.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Irritant

Very toxic

· Carcinogenic categories:

- · IARC (International Agency for Research on Cancer):
- Group 1 Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

Proprietary

Proprietary

## • NTP (National Toxicology Program):

None of the ingredients are listed.

## 2 Ecological information

- · Toxicity: The hazards for the aquatic environment are unknown.
- Aquatic toxicity:
- Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:
- Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Poisonous for fish and plankton in water bodies.

- Very toxic for aquatic organisms
- · Results of PBT and vPvB assessment:
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

## 3 Disposal considerations

## · Waste treatment methods

## · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Observe all federal, state and local environmental regulations when disposing of this material.

When being disposed of, spilled or partially reacted Fumi-Cel and Fumi-Strip fumigants are considered hazardous wastes under existing Federal Regulations. If properly exposed, the grayish-white residual dust from these products will not be a hazardous waste and normally contain only a very small amount of unreacted magnesium phosphide. This waste will be safe for disposal. Properly exposed material is not a hazardous waste. However, the residuals from incompletely exposed Fumi-Cel or Fumi-Strip fumigants may require special care.

Canadian WHMIS Standards & GHS Rev04

Issue date 06/11/2018

*Reviewed on 01/01/2023* 

## Trade Name: Fumi-Cel® and Fumi-Strip® Reg. No. 26188 Pest Control Product Act

Some local and state waste disposal regulations may vary from the following recommendations. Disposal procedures should be reviewed with appropriate authorities to ensure compliance with local regulations. Contact your State Pesticide or Environmental Control Agency or Hazardous Waste Specialist at the nearest EPA Regional Office for guidance.

1. Confinement of partially spent fumigant or residual dust, as in a closed container, or collection and storage of large quantities of fumigant may result in a fire or explosion hazard. Small amounts of phosphine (hydrogen phosphide, PH3) may be given off from unreacted magnesium phosphide, and confinement of the gas may result in a flash.

2. In open areas, small amounts of spent residual dust may be disposed of on site by burial or by spreading over the land surface away from inhabited buildings.

3. Residuals from Fumi-Cel and Fumi-Strip fumigants may also be collected and disposed of at a sanitary landfill, incinerator or other approved sites or by other procedures approved by Federal, State or Local authorities.

4. From 1 to 2 kg (2 to 4 lbs.) of spent fumigant may be collected for disposal in an open 1-gallon bucket. Caution: Do not collect dust in large drum, dumpsters, plastic bags or other containers where confinement may occur. Transport the uncovered buckets in an open vehicle for disposal or deactivation.

## · Uncleaned packaging

#### · Recommendation:

Triple rinse containers with water and then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

#### 4 Transport information

- · UN-Number:
- · DOT, TDG, IMDG, IATA
- UN proper shipping name:
- · DOT
- · TDG
- · IMDG
- Transport hazard class(es):
- · DOT



- · Class:
- · Label:

· TDG (Transport dangerous goods):



· Class:

UN2011

Magnesium phosphide UN2011 Magnesium phosphide, ENVIRONMENTALLY HAZARDOUS MAGNESIUM PHOSPHIDE, MARINE POLLUTANT MAGNESIUM PHOSPHIDE

4.3 Substances which, in contact with water, emit flammable gases 4.3, 6.1

4.3 (WT2) Substances which, in contact with water, emit flammable gases

(Contd. on page 11)

# Safety Data Sheet Canadian WHMIS Standards & GHS Rev04

Issue date 06/11/2018

Reviewed on 01/01/2023

Trade Name: Fumi-Cel® and Fumi-Strip® Reg. No. 26188 Pest Control Product Act

· Label:	4.3, 6.1
· Class:	4.3 Substances which, in contact with water, emit flammable gases
· Label:	4.3/6.1
· Class:	4.3 Substances which, in contact with water, emit flammable gases
<ul> <li>Label:</li> <li>Packing group:</li> <li>DOT, TDG, IMDG, IATA</li> <li>Environmental hazards:</li> <li>Special marking (TDG):</li> <li>Special precautions for user:</li> <li>Danger code (Kemler):</li> <li>EMS Number:</li> <li>Stowage Category</li> <li>Stowage Code</li> <li>Handling Code</li> <li>Segregation Code</li> </ul>	<ul> <li>4.3 (6.1)</li> <li>I Product contains environmentally hazardous substances: Magnesium Phosphide Symbol (fish and tree)</li> <li>Warning: Substances which, in contact with water, emit flammable gases 462</li> <li>F-G,S-N</li> <li>E</li> <li>SW2 Clear of living quarters.</li> <li>SW3 Shall be transported under temperature control.</li> <li>H1 Keep as dry as reasonably practicable</li> <li>SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.</li> <li>SG35 Stow "separated from" acids.</li> </ul>
<ul> <li>Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code:</li> </ul>	Not applicable.
• Transport/Additional information:	
• DOT • Quantity limitations:	On passenger aircraft/rail: Forbidden On cargo aircraft only: 15 kg
<ul> <li>TDG</li> <li>Excepted quantities (EQ):</li> </ul>	Code: E0 Not permitted as Excepted Quantity
<ul> <li>IMDG</li> <li>Limited quantities (LQ):</li> <li>Excepted quantities (EQ):</li> </ul>	0 Code: E0 Not permitted as Excepted Quantity (Contd. on page 12)

Canadian WHMIS Standards & GHS Rev04

Issue date 06/11/2018

Reviewed on 01/01/2023

Trade Name: Fumi-Cel® and Fumi-Strip® Reg. No. 26188 Pest Control Product Act

• UN "Model Regulation":	UN 2011 MAGNESIUM PHOSPHIDE, 4.3 (6.1), I,
-	ENVIRONMENTALLYHAZARDOUS

## 15 Regulatory information

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture:
- SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances): None of the ingredients are listed. · Section 313 (Specific toxic chemical listings): None of the ingredients are listed. TSCA (Toxic Substances Control Act): 12057-74-8 Magnesium Phosphide · TSCA new (21st Century Act) (Substances not listed) 12057-74-8 Magnesium Phosphide Proprietary Proprietary · Chemicals known to cause cancer: None of the ingredients are listed. Canadian substance listings: Canadian Domestic Substances List (DSL): Proprietary Proprietary Proprietary Proprietary · Canadian Ingredient Disclosure list (limit 0.1%): None of the ingredients are listed. · Canadian Ingredient Disclosure list (limit 1%): 12057-74-8 Magnesium Phosphide

Proprietary

GHS label elements

This product is labeled according to FIFRA.

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS02 GHS05 GHS06 GHS09

## · Signal word: Danger

## · Hazard-determining components of labeling:

Magnesium Phosphide

## Hazard statements:

H250 Catches fire spontaneously if exposed to air.

H260 In contact with water releases flammable gases which may ignite spontaneously.

H300+H330 Fatal if swallowed or if inhaled.

Canadian WHMIS Standards & GHS Rev04

Issue date 06/11/2018

*Reviewed on 01/01/2023* 

Trade Name: Fumi-Cel® and Fumi-Strip® Reg. No. 26188 Pest Control Product Act

H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
Precaution	ary statements:
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P222	Do not allow contact with air.
P223	Do not allow contact with water.
P231+P232	Handle and store contents under inert gas. Protect from moisture.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
	+P334 IF ON SKIN: Brush off loose particles from skin. Immerse in cool water.
P302+P335-	+P334 IF ON SKIN: Brush off loose particles from skin. Immerse in cool water or wrap in wet
	bandages.
P302+P352	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
5	present and easy to do. Continue rinsing.
P320	Specific treatment is urgent (see on this label).
P362+P364	0
P332+P313	If skin irritation occurs: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, sand, extinguishing powder.
P391	Collect spillage.
P402+P404	Store in a dry place. Store in a closed container.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· National reg	gulations:

Nega of the insue disease one li

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 6 Other information:

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of the latest revision of the safety data sheet 06/11/2018 / 4

#### • Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

Reviewed on 01/01/2023

## Safety Data Sheet Canadian WHMIS Standards & GHS Rev04

Issue date 06/11/2018

Trade Name: Fumi-Cel® and Fumi-Strip® Reg. No. 26188 Pest Control Product Act

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

\* Data compared to the previous version altered.

SDS created by MSDS Authoring Services

www.msdsauthoring.com

+1-877-204-9106