

# MATERIAL SAFETY DATA SHEET

KUUS INC.

## KNOCK DOWN PROFESSIONAL HORNET AND WASP KILLER BLASTER FOAM

Effective Date: April 1, 2015

---

### 1. MATERIAL IDENTIFICATION AND USE

---

MANUFACTURER'S NAME	KUUS INC.
MANUFACTURER'S ADDRESS	450 TAPSCOTT ROAD, UNIT 5 & 6 SCARBOROUGH, ONTARIO M1B 1Y4
MANUFACTURER'S TELEPHONE NO.	1-800-267-0455
SUPPLIER IDENTIFIER	AS MANUFACTURER
SUPPLIER'S ADDRESS	AS MANUFACTURER
SUPPLIER'S TELEPHONE NO.	AS MANUFACTURER
PRODUCT IDENTIFIER	<b>KNOCK DOWN PROFESSIONAL HORNET AND WASP KILLER BLASTER FOAM</b> FORMULA: DOMESTIC
PRODUCT CODE	<b>KD130P</b>
PRODUCT USE	INSECTICIDE

---

### 2. HAZARDOUS INGREDIENTS OF MATERIALS

---

INGREDIENTS	PERCENTAGE (%)	CAS NUMBER:	LD50(species/route)	LD50(species/route)
D-Trans Allethrin	0.050	28057-48-9	875mg/kg (oral-rat)	2.51mg/l or air (inhal-rat)
Permethrin	0.2	52645-53-1	>2500mg/kg (oral-rat)	Not Available
N-Octyl Bicycloheptene Bicarboximide	0.250	113-48-4	4980mg/kg (oral-rat)	4080mg/l (inhal-rat)
Ethanol	10-30	64-17-5	7060mg/kg (oral-rat)	31623ppm/4h (inhal-rat)
Isobutane	5-10	75-28-5	Not Applicable	142500ppm/4h (inhal-rat)
Propane	1-5	74-98-6	>5000 mg/kg Dermal-rabbits	Not Available

---

### 3. PHYSICAL DATA FOR PRODUCT

---

PHYSICAL STATE	AEROSOL
ODOUR AND APPEARANCE	OFF-WHITE EMULSION. FRAGRANT.
VAPOUR PRESSURE (mm Hg)	65-75 at 20°C
SPECIFIC GRAVITY	0.88-0.92
EVAPORATION RATE	(N-BUTYL ACETATE=1): GREATER THAN 1

VAPOUR DENSITY	(AIR=1): GREATER THAN 1
% VOLATILE	(BY WEIGHT): 97-98
BOILING POINT	78-100°C
SOLUBILITY IN WATER (20°C)	95-96

#### 4. FIRE AND EXPLOSION HAZARD OF PRODUCT

EXTINGUISHING MEDIA	WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.
FLASHPOINT	13°C
UPPER EXPLOSION LIMIT (% BY VOL)	19.0
LOWER EXPLOSION LIMIT (% BY VOL)	1.9
SPECIAL PROCEDURES	FULL PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARATUS SHOULD BE WORN.

#### 5. REACTIVITY DATA

CHEMICAL STABILITY	STABLE
HAZARDOUS POLYMERIZATION	WILL NOT OCCUR
INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS	HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.

#### 6. TOXICOLOGICAL PROPERTIES OF PRODUCT

##### SHORT TERM EFFECTS OF EXPOSURE

ROUTE OF ENTRY	
SKIN CONTACT	YES
EYE CONTACT	YES
ACUTE EFFECTS – INGESTION	HEADACHE, NAUSEA, VOMITING AND WEAKNESS
ACUTE EFFECTS – SKIN CONTACT	FREQUENT OR PROLONGED CONTACT MAY IRRITATE THE SKIN.
ACUTE EFFECTS – INHALATION	INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE ASPHYXIANT.
ACUTE EFFECTS – EYE	FREQUENT OR PROLONGED CONTACT MAY IRRITATE THE EYES.

---

## 7. TOXICOLOGICAL PROPERTIES OF PRODUCT (CONT'D)

---

### LONG TERM EFFECTS OF EXPOSURE

EFFECTS OF CHRONIC EXPOSURE  
TARGET ORGANS SOLVENTS MAY CAUSE DEFATTING DERMATITIS

### SPECIAL HEALTH EFFECTS

CARCINOGENICITY NO

---

## 8. PREVENTIVE MEASURES

---

CONDITIONS UNDER WHICH PPE REQ'D NORMAL WORK CONDITIONS

EYE PROTECTION REQUIREMENTS NONE REQUIRED FOR NORMAL USAGE. WEAR SAFETY GLASSES

GLOVE REQUIREMENTS WEAR CHEMICAL RESISTANT GLOVES

CLOTHING REQUIREMENTS NOT NORMALLY REQUIRED

RESPIRATOR REQUIREMENTS IF USED INDOORS ON A CONTINUOUS BASIS,  
USE OF CARTRIDGE TYPE RESPIRATOR IS  
RECOMMENDED.

ENGINEERING CONTROLS REQUIRED VENTILATION

SPILL AND LEAK PROCEDURES REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT  
MATERIAL, AND NON-SPARKING TOOLS. VENTILATE AREA. PREVENT  
FROM ENTERING A WATERCOURSE.

WASTE DISPOSAL METHODS DO NOT PUNCTURE OR INCINERATE  
CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF  
IN ACCORDANCE WITH LOCAL, PROVINCIAL,  
AND FEDERAL REGULATIONS.

STORAGE TEMPERATURE AMBIENT

HANDLING/STORAGE KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES. STORE IN COOL,  
WELL VENTILATED AREA NOT TO EXCEED 50°C.

---

## 9. FIRST AID MEASURES

---

INGESTION IF SWALLOWED, DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

SKIN CONTACT WASH THOROUGHLY WITH SOAP AND WATER.

INHALATION IF INHALATION OR VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR.

---

---

## 10. FIRST AID MEASURES

---

EYE FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION.

---

## 11. REGULATORY INFORMATION

---

### CANADIAN REGULATIONS:

-----  
WHMIS CLASSIFICATION  
CNFC SECTION 3.3.5  
CEPA (Canadian Environmental Protection Act)

NOT REGULATED BY WHMIS.  
LEVEL 1.  
ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.

### U.S. REGULATIONS:

-----  
HMIS RATING HEALTH  
HMIS RATING FLAMMABILITY  
HMIS RATING REACTIVITY  
HMIS RATING PERSONAL PROTECTION  
NFPA CODE 30B  
SARA 313 INFORMATION:

2 MODERATE HAZARD.  
1 SLIGHT HAZARD.  
0 MINIMAL HAZARD.  
B.  
LEVEL 1.  
THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372: .

CAS #: CHEMICAL NAME: .  
\*52645-53-1 PERMETHRIN .

### CALIFORNIA PROPOSITION 65:

THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986: .

WARNING: THIS PRODUCT DOES NOT INTENTIONALLY CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

CAS #: CHEMICAL NAME:  
N/A.

### TSCA (Toxic Substances Control Act)

ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING.

### VOC (w/w%)

26-27.

---

## 12. TRANSPORTATION INFORMATION

---

### T.D.G. CLASSIFICATION

CONSUMER COMMODITY (AEROSOLS, UN1950, CLASS 2.1).

### D.O.T. CLASSIFICATION

CONSUMER COMMODITY, ORM-D.

---

**13. PREPARATION DATE OF MATERIAL SAFETY DATA SHEET**

---

PREPARED BY KUUS INC.  
TELEPHONE NUMBER OF PREPARER 1-800-267-0455  
DATE PREPARED **April 1, 2015**

THE INFORMATION CONTAINED HEREIN IS OFFERED ONLY AS A GUIDE TO THE HANDLING OF THIS SPECIFIC MATERIAL AND HAS BEEN PREPARED IN GOOD FAITH BY TECHNICALLY KNOWLEDGEABLE PERSONNEL. IT IS NOT INTENDED TO BE ALL-INCLUSIVE AND THE MANNER AND CONDITIONS OF USE AND HANDLING MAY INVOLVE OTHER ADDITIONAL CONSIDERATIONS. NO WARRANTY OF ANY KIND IS GIVEN OR IMPLIED AND KUUSPORT MANUFACTURING LIMITED WILL NOT BE LIABLE FOR ANY DAMAGES, LOSSES, INJURIES OR CONSEQUENTIAL DAMAGES WHICH MAY RESULT FROM THE USE OR RELIANCE ON ANY INFORMATION CONTAINED HEREIN.