SAFETY DATA SHEET

1. Identification

Product identifier B97001 325G KONK "NEW" HORNET&WASP LB 12PK

Other means of identification

Product code 1000029047
Recommended use pesticide
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name ACUITY HOLDINGS INC. dba AMREP

Address 11627 178 STREET NW

EDMONTON, AB T5S 1N6

Canada

Telephone General Assistance 1-905 669-9876

E-mail Not available.

Emergency phone number Emergency - US 1-866-836-8855

Emergency - Outside US 1-952-852-4646

Supplier Not available.

2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1

Health hazards Not classified.

Label elements



Signal word Danger

Hazard statement Extremely flammable aerosol.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Response Wash hands after handling.

Storage Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

Other hazards Combustible.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Carbon Dioxide		124-38-9	3
Tetramethrin		7696-12-0	0.2
d-Phenothrin		26002-80-2	0.125
Other components below reportable levels			96.674

Product name: B97001 325G KONK "NEW" HORNET&WASP LB 12PK

Product #: 1000029047 Version #: 02 Revision date: 08-08-2017 Issue date: 04-28-2017

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation If symptoms develop move victim to fresh air. Get medical attention if symptoms persist. Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and delaved

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Alcohol resistant foam. Powder. Dry chemicals. Carbon dioxide (CO2).

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed. Firefighters must use standard protective equipment including flame retardant coat, helmet with

face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to

prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

General fire hazards Extremely flammable aerosol. Combustible.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Product name: B97001 325G KONK "NEW" HORNET&WASP LB 12PK

Level 3 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Components	mit Values Type	Value
Carbon Dioxide (CAS 124-38-9)	STEL	30000 ppm
	TWA	5000 ppm
Canada. Alberta OELs (C	Occupational Health & Safety Code, Sc	hedule 1, Table 2)
Components	Туре	Value
Carbon Dioxide (CAS 124-38-9)	STEL	54000 mg/m3
		30000 ppm
	TWA	9000 mg/m3
		5000 ppm
Canada. British Columbi Safety Regulation 296/97		s for Chemical Substances, Occupational Health and
Components	Туре	Value
Carbon Dioxide (CAS 124-38-9)	STEL	15000 ppm
121 00 0)	TWA	5000 ppm
Canada. Manitoba OELs Components	(Reg. 217/2006, The Workplace Safety Type	And Health Act) Value
Carbon Dioxide (CAS 124-38-9)	STEL	30000 ppm
124 00 0)	TWA	5000 ppm
Canada Ontario OELs (Control of Exposure to Biological or C	• •
Canada. Ontario OELs. (Components	Control of Exposure to Biological or C Type	• •
		hemical Agents)
Carbon Dioxide (CAS	Туре	hemical Agents) Value
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Type STEL TWA	hemical Agents) Value 30000 ppm
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS	Type STEL TWA Ministry of Labor - Regulation Respec	hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment)
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components	Type STEL TWA Ministry of Labor - Regulation Respect	hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS	Type STEL TWA Ministry of Labor - Regulation Respect Type STEL	hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS	Type STEL TWA Ministry of Labor - Regulation Respect	hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS 124-38-9)	Type STEL TWA Ministry of Labor - Regulation Respect Type STEL	hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS 124-38-9) ogical limit values ropriate engineering	Type STEL TWA Ministry of Labor - Regulation Respect Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai	hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS 124-38-9) ogical limit values ropriate engineering trols	Type STEL TWA Ministry of Labor - Regulation Respect Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai	hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation ration airborne levels below recommended exposure limits. Dished, maintain airborne levels to an acceptable level.
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS 124-38-9) ogical limit values ropriate engineering trols	Type STEL TWA Ministry of Labor - Regulation Respect Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estated.	Nature 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation ratein airborne levels below recommended exposure limits. Dished, maintain airborne levels to an acceptable level.
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS 124-38-9) ogical limit values propriate engineering trols	Type STEL TWA Ministry of Labor - Regulation Respect Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estates, such as personal protective equipment of the states	Nature 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation ration airborne levels below recommended exposure limits. Dished, maintain airborne levels to an acceptable level.
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS 124-38-9) ogical limit values ropriate engineering trols vidual protection measur Eye/face protection	Type STEL TWA Ministry of Labor - Regulation Respect Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estates, such as personal protective equipments wear safety glasses with side shield	Nature 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation ratein airborne levels below recommended exposure limits. Dished, maintain airborne levels to an acceptable level.
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS 124-38-9) ogical limit values propriate engineering trols vidual protection measur Eye/face protection Skin protection	Type STEL TWA Ministry of Labor - Regulation Respect Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estates, such as personal protective equipments wear safety glasses with side shield. Wear appropriate chemical resistants	Nalue 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilatinatin airborne levels below recommended exposure limits olished, maintain airborne levels to an acceptable level. ment ds (or goggles).

Product name: B97001 325G KONK "NEW" HORNET&WASP LB 12PK

SDS CANADA

Respiratory protection If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Gas. Physical state Aerosol. **Form** Color Not available. Not available. Odor **Odor threshold** Not available. Not available. Ha Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Flash point 225.8 °F (107.7 °C) estimated

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

0.5 % estimated

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Relative density Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 421 °F (216.11 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Specific gravity 0.832 estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

incompatible materials Strong oxidizing agents

Hazardous decomposition products

No hazardous decomposition products are known.

Product name: B97001 325G KONK "NEW" HORNET&WASP LB 12PK

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

 Components
 Species
 Test Results

 Tetramethrin (CAS 7696-12-0)

<u>Acute</u> Oral

Oral LD50

Rat 4640 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not available.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not likely, due to the form of the product.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Components Species Test Results

Tetramethrin (CAS 7696-12-0)

Aquatic

Fish LC50 Carp (Cyprinus carpio) 0.095 - 0.16 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Tetramethrin 4.73

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Product name: B97001 325G KONK "NEW" HORNET&WASP LB 12PK

Product #: 1000029047 Version #: 02 Revision date: 08-08-2017 Issue date: 04-28-2017

^{*} Estimates for product may be based on additional component data not shown.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

14. Transport information

TDG

UN1950 **UN** number

UN proper shipping name Transport hazard class(es)

AEROSOLS, flammable

Class 2.1 Subsidiary risk

Packing group Not applicable.

Environmental hazards

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

This product meets the exemption requirements and may be shipped as a limited quantity.

IATA

UN number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es)

2.1 **Class** Subsidiary risk 2.1 Label(s)

Not applicable. Packing group

Environmental hazards No. **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

IMDG

UN1950 **UN number UN** proper shipping name **AEROSOLS**

Transport hazard class(es)

Class 2.1 Subsidiary risk 2.1 Label(s)

Packing group Not applicable.

Environmental hazards

No. Marine pollutant F-D, S-U **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

Product name: B97001 325G KONK "NEW" HORNET&WASP LB 12PK

Product #: 1000029047 Version #: 02 Revision date: 08-08-2017 Issue date: 04-28-2017

IATA; IMDG; TDG



15. Regulatory information

Canadian regulations

This product contains a pesticide that is registered to the Canadian Pest Management Regulatory Agency (PMRA). It may contain components that are exempt from the DSL/NDSL.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Carbon Dioxide (CAS 124-38-9)

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Carbon Dioxide (CAS 124-38-9) Listed.

Inventory name

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

 Issue date
 04-28-2017

 Revision date
 08-08-2017

Version # 02

Product name: B97001 325G KONK "NEW" HORNET&WASP LB 12PK

SDS CANADA

On inventory (yes/no)*

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information

Hazard(s) identification: Hazard statement Hazard(s) identification: GHS Signal Words Fire-fighting measures: General fire hazards

Handling and storage: Precautions for safe handling

Exposure controls/personal protection: Respiratory protection Disposal considerations: Waste from residues / unused products Transport Information: Material Transportation Information

Regulatory information: Canadian regulations

Other Information: Disclaimer

GHS: Classification

SDS CANADA

Product #: 1000029047 Version #: 02 Revision date: 08-08-2017 Issue date: 04-28-2017