according to the Hazardous Products Regulations



# Seclira® Pressurized Ins,12X0,397 KG,CA

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.05.2025 70000001066 Date of first issue: 09.05.2025

#### **SECTION 1. IDENTIFICATION**

Product name : Seclira® Pressurized Ins,12X0,397 KG,CA

Product code : 00000004059026924

Other means of identification : Dinotefuran

CAPCP Registration number: PCP # 33422

#### Manufacturer or supplier's details

Company

BASF Agricultural Solutions Canada Inc. Quarry Park Blvd 28 #510 Calgary AB T2C 5P9

(403) 523-3000

Emergency telephone : 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

Recommended use of the chemical and restrictions on use

Recommended use : Crop Protection

insecticide

#### 2. Hazards Identification

## According to Hazardous Products Regulations (HPR) (SOR/2015-17)

### Classification of the product

Flam. Liq. 2 Flammable liquids Skin Corr./Irrit. 2 Skin corrosion/irritation

Eye Dam./Irrit. 2A Serious eye damage/eye irritation

STOT SE 3 (Vapours may cause Specific target organ toxicity — single exposure

drowsiness and dizzi-

ness.)

Aquatic Acute 3 Hazardous to the aquatic environment - acute Aquatic Chronic 3 Hazardous to the aquatic environment - chronic

Flam. Aerosol 1 Flammable aerosols

#### Label elements

Pictogram:

according to the Hazardous Products Regulations



# Seclira® Pressurized Ins,12X0,397 KG,CA

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.05.2025 700000001066 Date of first issue: 09.05.2025





#### Signal Word: Danger

Hazard	Statement:
--------	------------

H222 Extremely flammable aerosol.
 H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

## Precautionary Statements (Prevention):

P210 Keep away from heat, hot surfaces, sparks, open flames and other igni-

tion sources. No smoking.

P280 Wear protective gloves and eye protection or face protection.

P271 Use only outdoors or in a well-ventilated area.
P243 Take action to prevent static discharges.

P273 Avoid release to the environment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P241 Use explosion-proof electrical, ventilating and lighting equipment.

P242 Use only non-sparking tools.

P240 Ground and bond container and receiving equipment.
P264 Wash contaminated body parts thoroughly after handling.

#### Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P303 + P361 + P353 IF ON SKIN (or hair): Remove or Take off immediately all contaminated

clothing. Rinse skin with water or shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P332 + P313 If skin irritation occurs: Get medical attention.

P337 + P311 If eye irritation persists: Call a POISON CENTER or physician.

P370 + P378 In case of fire: Use water spray, dry powder, foam or carbon dioxide for

extinction.

P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Precautionary Statements (Storage):

P403 + P235 Store in a well-ventilated place. Keep cool.

P233 Keep container tightly closed.

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C/

122°F.

P405 Store locked up.

#### Precautionary Statements (Disposal):

according to the Hazardous Products Regulations



# Seclira® Pressurized Ins,12X0,397 KG,CA

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.05.2025 70000001066 Date of first issue: 09.05.2025

P501 Dispose of contents and container to hazardous or special waste collec-

tion point.

## 3. Composition / Information on Ingredients

### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Dinotefuran technical

CAS Number: 165252-70-0 Content (W/W): 0.5 %

Synonym: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-

2-Propanone

CAS Number: 67-64-1

Content (W/W): 25.0 - 50.0%

Synonym: 2-Propanone Acetone; Dimethyl ketone

carbon dioxide

CAS Number: 124-38-9 Content (W/W): 1.0 - 3.0% Synonym: No data available.

## 4. First-Aid Measures

## **Description of first aid measures**

### General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin.

Rinse skin immediately with plenty of water for 15 - 20 minutes.

#### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

#### If swallowed:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

### Most important symptoms and effects, both acute and delayed

according to the Hazardous Products Regulations



# Seclira® Pressurized Ins,12X0,397 KG,CA

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.05.2025 700000001066 Date of first issue: 09.05.2025

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

## Indication of any immediate medical attention and special treatment needed

Note to physician

Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

## 5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

#### Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### **Further information:**

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

according to the Hazardous Products Regulations



# Seclira® Pressurized Ins,12X0,397 KG,CA

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.05.2025 70000001066 Date of first issue: 09.05.2025

## 7. Handling and Storage

### Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Protect from temperatures above: 50 °C

The packed product must be protected against exceeding the indicated temperature.

## 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

#### Components with occupational exposure limits

Acetone ACGIH, US: TWA value250 ppm;

ACGIH, US: STEL value500 ppm;

OSHA Z1: PEL1,000 ppm 2,400 mg/m3;

carbon dioxide ACGIH, US: TWA value5,000 ppm;

ACGIH, US: STEL value30,000 ppm ;
OSHA Z1: PEL5,000 ppm 9,000 mg/m3 ;

#### Personal protective equipment

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

according to the Hazardous Products Regulations



# Seclira® Pressurized Ins,12X0,397 KG,CA

Version **Revision Date:** SDS Number: Date of last issue: -

09.05.2025 70000001066 Date of first issue: 09.05.2025 1.0

#### Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

## General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Form: aerosol Odour: of acetone

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: colourless pH value: approx. 8 - 10

(23 °C)

approx. -95 °C Melting point:

Information applies to the solvent.

approx. 56 - 57 °C Boiling range:

Information applies to the solvent.

< -20 °C Flash point: (Regulation

440/2008/EC, A.9)

(UN Test Sub-

section 31.4)

(Regulation

440/2008/EC, A.15)

Extremely flammable. Flammability:

Flammability of Aerosol > 90 cm

Products:

NFPA 30B flammability: Level 1 Aerosol

Lower explosion limit: approx. 2 %(V)

Information applies to the propellant.

approx. 27 %(V) Upper explosion limit:

Information applies to the propellant.

Autoignition: 630 °C

> 75 °C

approx. 5,330 hPa Vapour pressure:

(20°C)

Information applies to the propellant.

approx. 0.95 g/cm3 Density:

(20°C)

Vapour density:

Information based on the main com-

ponent/s.

Partitioning coefficient nnot applicable

octanol/water (log Pow):

Information on: Dinotefuran technical Partitioning coefficient n--0.549octanol/water (log Pow): (25°C)

according to the Hazardous Products Regulations



# Seclira® Pressurized Ins,12X0,397 KG,CA

Version Revision Date: SDS Number: Date of last issue: -

09.05.2025 70000001066 Date of first issue: 09.05.2025 1.0

Thermal decomposition: (DSC (OECD 113))

No exothermic decomposition within the mentioned temperature

range.

Viscosity, dynamic: approx. 1.75 mPa.s

(approx. 21 °C)

Solubility in water: soluble

Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical pa-

rameters is indicated in this section.

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating (Regulation 440/2008/EC, A.21)

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electrostatic discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

#### Incompatible materials

strong oxidizing agents, strong bases, strong acids

#### **Hazardous decomposition products**

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

(DSC (OECD 113))

No exothermic decomposition within the mentioned temperature range.

## 11. Toxicological information

## Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

## **Acute Toxicity/Effects**

according to the Hazardous Products Regulations



# Seclira® Pressurized Ins,12X0,397 KG,CA

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.05.2025 70000001066 Date of first issue: 09.05.2025

#### Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

Inhalation

Type of value: LC50

Species: rat

Value: > 2.05 mg/l

No mortality was observed.

Dermal

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

#### Assessment other acute effects

Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness).

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Irritation / corrosion

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. May cause slight irritation to the skin.

Skin

Species: rabbit Result: non-irritant

Eye

Species: rabbit Result: non-irritant

#### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

modified Buehler test Species: guinea pig Result: Non-sensitizing.

### **Aspiration Hazard**

The product has not been tested. The statement has been derived from the properties of the individual components. May also damage the lung at swallowing (aspiration hazard).

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

according to the Hazardous Products Regulations



# Seclira® Pressurized Ins,12X0,397 KG,CA

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.05.2025 700000001066 Date of first issue: 09.05.2025

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Acetone

Assessment of repeated dose toxicity: The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

Information on: carbon dioxide

Assessment of repeated dose toxicity: Prolonged or repeated exposure by inhalation to high concentrations may cause circulatory insufficiency leading to headache, nausea, vomiting and potentially death.

-----

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

#### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Acetone

Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.

-----

#### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

#### Other Information

Misuse can be harmful to health.

### 12. Ecological Information

## **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

according to the Hazardous Products Regulations



# Seclira® Pressurized Ins,12X0,397 KG,CA

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.05.2025 70000001066 Date of first issue: 09.05.2025

#### Toxicity to fish

Information on: Dinotefuran technical

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss LC50 (96 h) > 100 mg/l, Cyprinus carpio

-----

#### Aquatic invertebrates

Information on: Dinotefuran technical EC50 (48 h) > 1,000 mg/l, Daphnia magna EC50 (96 h) 0.79 mg/l, Mysidopsis bahia

\_\_\_\_\_

#### Aquatic plants

Information on: Dinotefuran technical

EC50 (72 h) 97.6 mg/l (biomass), Pseudokirchneriella subcapitata

-----

#### Chronic toxicity to aquatic invertebrates

Information on: Dinotefuran technical

No observed effect concentration 0.089 mg/l, Mysidopsis bahia

\_\_\_\_\_

## Persistence and degradability

#### Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

### Assessment biodegradation and elimination (H2O)

Information on: Dinotefuran technical

Not readily biodegradable (by OECD criteria).

-----

## Bioaccumulative potential

#### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

## Assessment bioaccumulation potential

Information on: Dinotefuran technical

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

.

according to the Hazardous Products Regulations



# Seclira® Pressurized Ins,12X0,397 KG,CA

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.05.2025 70000001066 Date of first issue: 09.05.2025

## Mobility in soil

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dinotefuran technical

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

-----

#### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

## 13. Disposal considerations

Waste disposal of substance:

See product label for disposal and recycling instructions.

#### Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product. Emptied gas pressure vessels must not be opened.

## 14. Transport Information

## Land transport

**TDG** 

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1

Proper shipping name: AEROSOLS

## Sea transport

**IMDG** 

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1
Marine pollutant: NO

Proper shipping name: AEROSOLS

Air transport

IATA/ICAO

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1

according to the Hazardous Products Regulations



# Seclira® Pressurized Ins,12X0,397 KG,CA

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.05.2025 700000001066 Date of first issue: 09.05.2025

Proper shipping name: AEROSOLS, FLAMMABLE

#### **Further information**

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

## 15. Regulatory Information

## **Federal Regulations**

# Registration status:

Crop ProtectionDSL, CAreleased / exempt

ChemicalDSL, CAreleased; restriction on quantity / not listed

BiocideDSL, CAblocked / not listed

#### Labeling requirements under Pest Control Products Act

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:





Danger: Flammable

Caution: Explosive

DANGER:

EXTREMELY FLAMMABLE.

Explosive

according to the Hazardous Products Regulations



# Seclira® Pressurized Ins,12X0,397 KG,CA

Version Revision Date: SDS Number: Date of last issue: -

1.0 09.05.2025 70000001066 Date of first issue: 09.05.2025

KEEP OUT OF REACH OF CHILDREN. KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Wash thoroughly after handling.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

#### 16. Other Information

## SDS Prepared by:

NA Product Regulations SDS Prepared on: 09.05.2025

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

is a registered trademark of BASF Corporation or BASF SE

is a registered trademark of BASF Mexicana or BASF SE

is a registered trademark of Micro Flo Company.

is a registered trademark of Foam Enterprises LLC

is a registered trademark of BASF Canada or BASF SE

is a registered trademark of PolyAd Services LLC

is a registered trademark of Styrolution USA LLC

is a registered trademark of Styrolution Polimeros de Mexico

is a registered trademark of Styrolution Mexicana

IMPORTANT: WHILE THE DESCRIPTIONS. DESIGNS. DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

**END OF DATA SHEET**