

Onguard PC-5/2

A ready to use concentrated insecticide for the control of insect pests infesting stored food products, feed and flour mills, tobacco warehouses, food processing plants, transportation vehicles and other industrial premises.

Contains a botanical insecticide derived from the Chrysanthemum flower COMMERCIAL

KEEP OUT OF REACH OF CHILDREN

READ LABEL BEFORE USING

REG.NO 31036 P.C.P. ACT

GUARANTEE Pyrethrins 0.5%

Piperonyl Butoxide

2.0% NET

CONTENTS :

UR-CAN INC.
2211 Brant St.
PO Box 20069
Burlington, ON L7P 0A4
(905) 454-6327

DIRECTIONS FOR USE

FOR CONTROL OF GRAIN INSECTS

Flour Weevils, Confused Flour Beetles, Saw Toothed Grain Beetles, Cigarette Beetles, Flat Grain Beetles: To kill the exposed stages of these pests, use at the rate of 1.25 to 2.5 litres per 100 square meters and spray thoroughly walls, beams, ceilings, pipes, undersides of pallets etc., so as to hit as many insects as possible and to effect a thorough coverage of all surfaces.

During warm weather weekly applications Should be made. FOR CONTROL OF STRUCTURAL INSECTS:

Ants, Roaches, Silverfish, Spiders, Crickets: Use at the rate of 1-2 litres per 100 square metres. Treat infested areas around refrigerators, sinks, undersides of tabletops and shelving, all cracks, crevices, baseboards, moulding and other hiding places. Apply also around all pipe openings through walls, floors and ceilings and open cracks between tiles.

NOTE: This product is not for use as broadcast application. FOR CONTROL OF FLYING INSECTS:
Flies, Mosquitoes, Biting Midges, Wasps, Moths, Small Flying insects:

SPACE SPRAY: Apply at the rate of 40-80 mL per 100 cubic meters with a machine that produces aerosol mist. Apply weekly or more often as infestation warrants. Remove all animals from treatment area before using as a space spray. Close all doors and windows and shut off ventilating systems. Direct spray upwards to all parts of the room, especially windows and other light sources. Also direct mist into areas where insects are present. Spray only when temperature is below 32°C. Keep area sealed for 30 minutes after each treatment. Do NOT remain in treated areas. Ventilate treated areas for at least 30 minutes before re-entry.

INDOOR FOGGING:

Apply at no more than 200 mL per 100 cubic meters. When using thermal fog generator the equipment must be operated and maintained in the manner prescribed on the instruction plate affixed to it and in accordance with the manufacturer's instruction manual and recommendations. Ventilate building before re-occupying. Following the ventilation, clean up dead insects.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Avoid skin contact. Avoid inhaling spray mist. Avoid contact with skin, eyes, and clothing. Wash after use. Do NOT remain in treated areas. Ensure proper ventilation after sealed areas have been treated. In meat packing and processing plants, including Federally inspected meat plants, spray only when the plant is not in operation. No exposed meat products, ingredients or packaging materials to be left in the room, and cover food handling equipment. Any treated surfaces that may contact meat food products should be washed and rinsed thoroughly with potable water after spraying and before re-use for food processing.

DO NOT USE ON OR NEAR FOOD. DO NOT CONTAMINATE ANY BODY OF WATER. PRODUCT TOXIC TO FISH. DO NOT SPRAY OR FOG IN PRESENCE OF OPEN FLAME (INCLUDING PILOT LIGHTS) OR SPARK, OR WHILE SMOKING. TURN OFF ELECTRIC HEATING ELEMENTS.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment. IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

This product contains a petroleum distillate. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. Treat symptomatically.

DISPOSAL AND DECONTAMINATION:

Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the, Pest Control Products Act, to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.