

2012-08-21

2011-5487

Boradicate Insecticide

COMMERCIAL

This product is a nonflammable, stainless, odorless powder that will control cockroach infestations in homes and other buildings.

Boradicate is a long-lasting powder which is effective as long as it is in place and kept dry.

KILLS: Cockroaches, Ants, Carpenter Ants and Silverfish

READ LABEL BEFORE USING

- LONG-LASTING POWDER
- ODORLESS

GUARANTEE

Orthoboric Acid.....99.0%

KEEP OUT OF REACH OF CHILDREN

**REGISTRATION NO. 30533
PEST CONTROL PRODUCTS ACT**

Product of USA

FMC Corporation
Agricultural Products Group
1735 Market Street
Philadelphia, PA 19103
USA
215-299-6000

NET CONTENTS 0.454 kg – 11.36 kg

Product is filled by weight and may settle in shipping.

DIRECTIONS FOR USE
(WITHIN LIVING QUARTERS)

No powder should be visible in living areas after application. Any powder visible after application must be brushed into cracks and crevices or removed. Avoid contamination of feed and foodstuffs. Do not use in serving areas when food is exposed. Do not use in edible product areas. Apply approximately 500 g per 100 m² feet of living space.

Apply Boradicate liberally in areas where cockroaches hide or nest

1. Under and behind appliances.
2. In plumbing voids accessible through holes, around plumbing and drains.
3. In void areas under kitchen and bathroom cabinets (Note: Many cabinets have a gap at the top of the kickplate which offers easy access. If not, drill a small hole at the top of the kickplate)
4. In drawer wells of cabinets.
5. In cracks around windows, doors, baseplates, fixtures and cabinets.
6. In utility rooms, under and behind hot water heaters, washers and dryers. Be sure to dust plumbing voids.
7. In attics, around the perimeter and vent pipes, above kitchens and baths.
8. Around the perimeter of dropped ceilings.
9. Into pits of elevator shafts, dumbwaiters and trash chutes.
10. Under and behind pallets and boxes in storerooms

DIRECTIONS FOR USE
(WITHIN FOOD AREAS AND NON-FOOD AREAS OF FOOD HANDLING
ESTABLISHMENTS)

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served. **FOOD AREAS APPLICATION IS LIMITED TO CRACK AND CREVICE TREATMENT ONLY.** Apply in small amounts directly into cracks and crevices using a bellows duster or other suitable equipment capable of applying insecticide directly. Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas, when food is exposed and facility is in operation, also would be considered a food area.

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

Care should be taken to avoid depositing the product onto surfaces which are exposed or introducing the material into the air. Avoid contamination of food or food processing surfaces. **DO NOT APPLY THIS PRODUCT IN THE FOOD AREA OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT.**

SEWER TREATMENT: Apply this product at a rate not to exceed 1.25 kg per 100m² using portable blowers or air pressure tanks.

PRETREATMENT OF NEW CONSTRUCTION: Apply powder to baseplates and plumbing voids at the rate of 2 kg per 100m². In attics, apply powder around perimeter of attics and around vent stacks at the rate of 2 kg per 100m².

CARPENTER ANTS: Locate source of infestation. Using powder duster, inject powder for 3-5 seconds into insect tunnels and cavities.

FOR USE IN

Homes, Restaurants, Grocery Stores, Schools, Warehouses, Mobile Homes, Hotels, Offices, Apartments, Attics, Nursing Homes, Ships, Yachts, Buses, Kennels, Zoos, New Building Construction, Sewers and Hospitals

PRECAUTIONS: Apply only in areas inaccessible to children and pets. *HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION. AVOID EYE CONTACT. WASH THOROUGHLY AFTER HANDLING.*

FIRST AID: In case of contact with eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled, Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE & DISPOSAL

STORAGE: Store in original container away from food and feedstuffs. Keep products in a locked storage area.

DISPOSAL: Make the empty container unsuitable for further use. Dispose of the empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.