

**Approved Label, CK
2016-5324, 2017-04-05**

**Avitrol Corn Chops (R)
CORN CHOPS**

For the Control of House Sparrows (*Passer domesticus*), Red-winged blackbird (*Agelaius phoeniceus*), Yellow-headed blackbird (*Xanthocephalus xanthocephalus*), Rusty blackbird (*Euphagus carolinus*), Brewer's blackbird (*Euphagus cyanocephalus*) Brown-headed cowbird (*Molothrus ater*) and Bronzed cowbird (*Molothrus aeneus*) IN, ON OR IN THE AREA OF STRUCTURES, NESTING AND ROOSTING SITES

PARTICULATE

RESTRICTED

GUARANTEE: 4-Aminopyridine 0.5%

REGISTRATION NO. 12095 PEST CONTROL PRODUCTS ACT

WARNING



POISON

Net Contents kg.

**READ THE LABEL BEFORE USING
AVITROL CORPORATION
7644 E. 46th ST. TULSA,
OKLAHOMA 74145
1-800-633-5069**

CANADIAN PATENT NO. 838,657

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

NATURE OF RESTRICTIONS

For use only by or under the supervision of government agencies and pest control operators; not for sale to the public.

DIRECTIONS FOR USE

Avitrol Corn Chops is a pesticide for the control of certain species of pest birds. It is composed of a choice bird food impregnated with an active bird management chemical. Birds ingesting Avitrol Corn Chops react with distress symptoms and calls. By limiting the amount of bait available to relatively few birds, the remainder of the flock can be frightened away from most roosts and feeding sites with a minimum of mortality. For best results the applications should be made at the proper time and place under the direction of trained personnel. Prefeeding with untreated feeds of the same composition as the Avitrol Corn Chops carrier is usually essential to the effective deterrence of birds with Avitrol Corn Chops. Careful observation of bird habits should be made to establish proper feeding locations and to determine that no non-target bird species are present that may feed on Avitrol Corn Chops. After pest bird feeding is established, immediately replace untreated grain with Avitrol Corn Chops. Repeat Avitrol Corn Chops treatment until bird numbers have been reduced to acceptable levels on the premises.

Avitrol Corn Chops grain is lethal to most birds that ingest enough to cause flock-frightening symptoms. To obtain the desired minimal mortality the Avitrol Corn Chops corn chops should be thoroughly blended with 9 parts of untreated corn chops and scattered spot placements should be made to provide feeding opportunity for the number of demonstrating birds. Apply 0.50 kilograms of blended bait (using protective gloves) in selected sites throughout the feeding area. Repeat treatment until bird numbers have been reduced to acceptable levels. Properly dispose of dead bird in accordance with local or provincial requirements.

DO NOT apply 4-aminopyridine products in places that are accessible to children. Place treated bait in areas that are inaccessible to the public.

In areas open to the public, perform baiting at elevated sites where feasible. Where baiting at elevated sites is not feasible and ground baiting is required, a certified applicator or someone under his/her direct supervision must ensure children, pets and non-target species do not come in contact with the bait during the entire application period. That authorized handler must not leave the site until all dead or dying birds and unused bait are retrieved from the site.

Remove any unused product at the end of the day.

Remove any dead or dying birds after product application. All dead and dying birds must be disposed of by burial or incineration.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Keep persons (other than authorized handlers) as well as pets and livestock away from the treated bait and dead or dying birds at all times. Only protected handlers may be in the area until all dead and dying birds and unused bait are retrieved.

DO NOT apply in the presence of livestock or poultry or where livestock and poultry may be exposed.

DO NOT feed to livestock or poultry. DO NOT mix with grain for livestock or poultry feed.
DO NOT apply to growing food crops.

DO NOT apply baits made from this product in any way that could contaminate materials to be used as human food or animal feed.

DO NOT use treated baits as food or feed.

AVITROL CORN CHOPS MUST NOT BE EXPOSED IN ANY MANNER THAT MAY ENDANGER DESIRABLE AND PROTECTED BIRD SPECIES. IF THERE IS A QUESTION OF SUCH HAZARD, CONSULT LOCAL, PROVINCIAL AND FEDERAL WILDLIFE AUTHORITIES BEFORE UNDERTAKING BIRD MANAGEMENT WITH AVITROL CORN CHOPS. INVESTIGATE LOCAL LAWS THAT MAY PROHIBIT THE USE OF ANY TOXIC CHEMICAL IN BIRD CONTROL

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN AND PETS

Wear a long-sleeved shirt, long pants, shoes plus socks, and chemical-resistant gloves during loading and applying this product as well as during picking up dead birds and unused bait. Wear a dust mask or respirator with a suitable dust filter approved by NIOSH/MSHA/BHSE when transferring bulk product.

May produce toxic symptoms if swallowed or by contact with the skin. Handle with protective gloves. Wash thoroughly with soap and water after handling, before eating or smoking. Change to clean clothing after handling. Do not feed to livestock or chickens. Do not mix with grain for livestock feed or for human consumption. Do not contaminate streams, lakes or ponds with this material. Do not allow this material to remain in unprotected places after control measures are completed. Do not use where food (grain or meat) will become contaminated.

FIRST AID:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

ENVIRONMENTAL HAZARDS:

Use only in sites listed on the product label.

This product is toxic to birds and mammals. Exposed treated grain is hazardous to non-target birds and other wildlife.

Toxic to aquatic organisms: DO NOT apply this product directly to freshwater habitats (such as lakes, rivers, sloughs, ponds, prairie potholes, creeks, marshes, streams, reservoirs and wetlands), estuarine/marine habitats.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

DISPOSAL:

Follow provincial instruction for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.