

2016-5616

2017-02-27

AIR GUARD®

**KONK PRO  
COMMERCIAL & FARM INSECT KILLER**

**PRESSURIZED SPRAY**

For use on cattle, in animal quarters, milk rooms, dairy barns, horse barns, piggeries, shelter sheds, food processing plants, restaurants, hotels, hospitals, and other commercial and industrial buildings.

**Kills and repels**, horse flies, face flies, deer flies, house flies, horn flies, mosquitoes, biting midges, wasps, flying moths, and crawling insects such as cockroaches, spiders, crickets, ants, carpet beetles, centipedes, silverfish, dog & cat fleas, Brown Dog and American Dog ticks and bed bugs.

COMMERCIAL

**GUARANTEE:**

Pyrethrins..... 0.50%

Piperonyl Butoxide.... 5.00%

REGISTRATION NO. 24437

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

CAUTION FLAMMABLE  
EXPLOSIVE

NET CONTENTS: 500 g

Acuity Holdings, Inc.  
11627 - 178 STREET  
EDMONTON AB T5S 1N6  
905-669-9876

**DIRECTIONS**

**SPACE SPRAY:** Food processing plants, restaurants, hotels, hospitals, and other commercial and industrial buildings. Direct spray upwards to all parts of the room, especially windows and other light sources. Apply at a rate of 6 to 10 seconds per 30 cubic metres. Keep spray at least 1 metre from interior walls, fabrics and furniture. For best results, close all doors and windows during treatment and keep room closed for 15 minutes before ventilating. Remove any animals from treatment area before spraying. Do not remain in treated areas. Ventilate treated areas thoroughly for at least 30 minutes before re-entry. In meat packing and food processing plants and food service establishments, apply only when plant is not in operation. Remove all food before treatment. Cover all food processing surfaces and clean thoroughly with potable water before resuming operations.

**LIVESTOCK SPRAY:** To treat beef and dairy cattle (lactating and non-lactating) against flies. Spray animals once daily with a fine mist. Apply at a rate of 6 to 8 seconds per animal. Spray should be enough to wet ends of the hair only, do not wet the skin. Take care not to spray in animal's eyes or mouth. Treat dairy cattle at least 20 minutes before milking. Wash udders before milking.

**MILK PARLORS AND MILKROOMS SPACE SPRAY:** When used in milk houses, and milk parlours use only when milk house is not in operation. Cover or remove all milk and milking implements before spraying. After spraying, wash all surfaces that may contact milk and rinse thoroughly with potable water before resuming operations.

**CRAWLING INSECTS:** Apply to insect hiding places and breeding areas such as baseboards, moist areas, opening around sinks, drains, and pipes, behind cabinet and storage areas. If possible, hit insects directly to kill. Spray ant trails, around door sills, window frames or in ant nest. **BED BUGS:** Spray mattress, particularly around seams and tufts. Take beds apart, spray joints. Repeat as required. **FLEAS:** Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, windows and door frames and localized areas and floor covering where these pests may be present. Remove old bedding and replace with fresh clean bedding after treatment. Insects must be contacted to be killed. Do not treat animals with this product.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** Do not remain in treated areas. Ensure proper ventilation after sealed areas have been treated. In hospitals do not use in nurseries or rooms where infants, ill or aged persons are confined. Cover milk and milking utensils to prevent contamination from spray and dead insects. (Any treated surfaces that may contact food or feed products should be washed thoroughly with potable water after spraying and before re-use). Do not contaminate feed, food or water troughs. Avoid inhalation of spray. Avoid contact with skin and eyes. Wash after using. **CONTENTS UNDER PRESSURE.** Do not place in hot water or near radiators, stove or other sources of heat. Do not puncture or incinerate can or store at temperatures over 50°C. Do not spray into or near any open flame, spark, or while smoking.

**FIRST AID:** If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Take container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

**DISPOSAL:** When container is empty, press valve to release all remaining pressure. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.