ONGUARD FRUIT FLY TRAP

Contains Food Grade Apple Cider Vinegar

Solution

DOMESTIC

READ THE LABEL BEFORE USING KEEP OUT OF THE REACH OF CHILDREN

ACTIVE INGREDIENT: Acetic Acid......5.12%



DANGER – CORROSIVE TO EYES CAUTION SKIN IRRITANT

REG. NO. 35381 P.C.P. ACT

NET CONTENTS: 20 ml

UR-CAN INC. PO Box 20069 Brant Hills Burlington, ON L7P 0A4 1 (888)-484-3213

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN.

CORROSIVE to the eye. DO NOT get in eyes. Causes irritation of the respiratory tract. Avoid inhaling vapours. Avoid contact with skin and clothing.

Do not store in areas accessible to children, pets and domestic animals.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

DIRECTIONS FOR USE

To attract and trap fruit flies.

- 1. Gently squeeze trap and remove white plastic "peel off" tab.
- 2. Recycle empty traps or discard.

PLACEMENT

Place trap on a counter, table, windowsill or other stable surface near the fruit fly problem. If using multiple traps, space them 1.8 metres (6 ft) apart.

Fruit flies can breed in pantries, kitchen trash, sinks, garbage disposals and compost bins — wherever fruits, vegetables and food scraps are present. All of these are good locations for the trap. To increase the attractiveness of the lure in the trap, all alternative food sources should be removed or made unavailable to fruit flies, as much as possible.

STORAGE: Store in the original container in a cool, dry place.

DISPOSAL: Place container in trash when empty.