

2016-5616
2017-02-27

KONK TOO FARM & LIVESTOCK INSECT KILLER

Water-Based Emulsion pressurized Spray

A concentrated insecticide for use on Dairy Cattle (lactating or non-lactating), Beef Cattle, Horses, Hogs and other livestock listed on this label.

Use in animal quarters, milk rooms, dairy barns, horse barns, piggeries, poultry houses and shelter sheds.

Kills and Repels

Stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitoes, biting midges, wasps, flying moths, and crawling insects such as cockroaches, spiders, crickets, ants, carpet beetles, centipedes, silverfish, dog and cat fleas, brown dog and American dog ticks and bed bugs.

AGRICULTURAL

GUARANTEE

Pyrethrins 0.50%
Piperonyl Butoxide 4.00%

Contains an Insecticide derived from the Chrysanthemum Flower.

CAUTION



FLAMMABLE



EXPLOSIVE

REGISTRATION NO.24436 PEST CONTROL PRODUCTS ACT
READ THE LABEL BEFORE USING

Acuity Holdings, Inc.
11627 - 178 STREET
EDMONTON AB T5S 1N6
905-669-9876

NET CONTENTS 500-680g

DIRECTIONS FOR USE:

LIVESTOCK SPRAY: To treat beef cattle, dairy cattle (lactating and non-lactating), horses, hogs and other livestock against stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitoes, biting midges. Spray animals once daily with fine mist. Apply at a rate of 6 to 8 seconds per animal. Spray should be enough to wet ends of hair only, do not wet the skin. Take care not to spray in animal's eyes or mouth. Treat dairy cattle at least 20 minutes before milking. Wash udders before milking. Do not cover horses after application.

ANIMAL QUARTERS SPACE SPRAY (milkrooms, dairy barns, horse barns, piggeries, poultry house, shelter sheds): Apply at a rate of 6 to 10 seconds per 30 m³. Direct mist upwards in sweeping motion to ceiling and upper corners of the room and not directly towards animals or birds. For best results, close all doors and windows during treatment and keep room closed for 15 minutes. Ventilate areas thoroughly for at least 30 minutes before re-entry. Repeat as necessary with additional spraying of breeding areas. Clean up dead insects. **IN MILK HOUSES AND MILKROOMS** Animals in milkhouses and milkrooms are to be removed from treatment area before spraying. Cover or remove all milk and milking implements before spraying. After spraying, wash all surfaces that may contact milk and rinse thoroughly with potable water before resuming operations. In shelter shed use, applications may be influenced by openness and air currents.

POULTRY HOUSES AND POULTRY: To control poultry lice and exposed stages of Darkling Beetles, spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist. Repeat as necessary. For control of bedbugs and mites on poultry and in poultry houses, spray crevices of roost poles, cracks in walls and cracks in nests where the bedbugs and mites hide. This should be followed by spraying over the birds with a fine mist. Repeat as necessary.

CRAWLING INSECTS: Apply to insect hiding places and breeding areas such as baseboards, moist areas, opening around sinks, drains, and pipes, behind cabinet and storage areas. If possible, hit insects directly to kill. Spray ant trails, around door sills, window frames or in ant nest. **BED BUGS:** Spray mattress, particularly around seams and tufts. Take bed apart, spray frames, joints, springs. Repeat as required. **FLEAS:** Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, windows and door frames, and localized areas and floor covering where pests may be present. Remove old bedding and replace with fresh clean bedding after treatment. Insects must be contacted to be killed. Do not treat pets with this product.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas. Ensure proper ventilation after areas have been treated. In hospitals, do not use in nurseries or rooms where infants, ill or aged persons are confined. Cover milk and milking utensils to prevent contamination from spray and dead insects. (Any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before reuse.) Do not contaminate feed, food or water troughs. Avoid inhalation of spray. Avoid contact with skin and eyes. Wash after using. **CONTENTS UNDER PRESSURE.** Do not place in hot water or near radiators, stove or other sources of heat. Do not puncture or incinerate can or store at temperatures over 50°C. Do not spray into or near any open flame, spark or while smoking.

FIRST AID TREATMENT: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and provincial regulatory agency in case of spill and for clean-up of spills

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.