KNOCK DOWN HORNET & WASP FOAM BLASTER KILLER (0.2% TETRAMETHRIN & 0.2% D-PHENOTHRIN)

OUTDOOR DOMESTIC

GUARANTEE:

Tetramethrin 0.20% D-Phenothrin 0.20%

REGISTRATION NO. 31411 P.C.P. Act

NET CONTENTS _____ g

CAUTION

EXPLOSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

CAUTION – SKIN IRRITANT

KUUS INC. Value added Family productsTM
450 TAPSCOTT RD UNIT 5-6
Scarborough, ON M1B 1Y4
1-800-267-0455

Proudly made in Canada

www.knockdownbugs.com, www.mosquitoshield.com Manufacturers of Mosquito Shield Insect Repellents and Knock Down Insecticides & Pest Control Products

Optional Statements:

- Shake Well Water Based
- All angle 360° spray action
- Custom cap with holder for extension tube
- Manufacturers of Mosquito Shield Insect Repellents and Knock Down Insecticides & Pest Control Products

Optional Marketing Statements

- Water based.
- Barrier spray.
- Blankets wasp and hornet nests.
- Jet Stream.
- Spray nests safely from 2-2.5 M (6-8 feet).
- Fast action.
- Low odour.
- Non Flammable.
- Triple action jet spray (foam) threat! Accurate foam, reaches roof heaves, kills returning insects.
- Sticky foam kills wasps rapidly.
- Delivers a powerful (and quiet) foam spray.
- Use (apply) (spray) with accuracy.
- Reaches nests under roof eaves, around carports, doorways, window frames, and other outdoor areas.
- Kills (rapidly) on contact.
- Kills wasps, yellow jackets, and hornets on contact (Gives rapid Kill).
- Gives rapid contact kill and residual kill of insects returning to the treated nest.
- Foam jet spray.
- Kills returning insects.
- Coats nests.
- Foam increases accuracy and precision of product placement.
- Expanding foam.

Do not treat when food is present. Clean treated surfaces before being used to prepare food. **DIRECTIONS FOR USE: SHAKE WELL BEFORE USE**. For Control of Exposed Nests of Wasps, Yellow Jackets, and Hornets: For use outdoors only to treat nests under eaves, near window frames, doorways, carports, picnic areas, and outdoor play areas or anywhere nests are built. Not for use against nests located underground or in voids.

- 1. Spray nest at sunrise or sunset when insects are least active.
- 2. Stand a safe distance from the nest [1-3 meters]. Do not stand directly underneath.
- 3. Shake can well before each use. Hold can upright and spray away from person. Push button to spray.
- 4. Aim actuator at the opening in the nest and spray until soaked.
- 5. Then spray the rest of the nest until it is saturated.
- 6. Saturation of the nest is required for control. Observe for activity for at least 24 hours and treat again if necessary. DO NOT reapply within 24 hours of the previous treatment.
- 7. Observe the nest for pest activity for at least 24 hours. If no pest activity is observed after 24 hours, the nest may be removed.

Use Tips:

- 1. Spray only if there is no wind or breeze.
- 2. Avoid spraying vegetation directly
- 3. Rinse with water any desirable foliage that is contacted with spray.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May irritate the skin. Avoid contact with skin. Wash hands thoroughly with soap and water after use. Do not apply directly to humans, pets, plants, or contaminate food, food containers, utensils or food preparation areas. Cover or remove exposed food before use. Remove pets and birds and cover fish aquariums before spraying. This pesticide is toxic to fish and other aquatic invertebrates. Do not apply directly to water. CONTENTS UNDER PRESSURE. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50°C. Do not apply this product around equipment due to possibility of shock hazard. This product may stain or adversely affect vinyl, painted, and plastic surfaces. Avoid application to asphalt roofing shingles as staining may occur. Before using in areas where spray may contact these surfaces, test in an inconspicuous area and recheck in a few hours.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms. TOXIC to bees. This product is intended for use on yellow jackets, hornets and wasps only.**STORAGE**: Store in a cool dry place away from heat or open flame, preferably in a locked storage area.

CONTAINER DISPOSAL: When container is empty, press valve to release all remaining pressure. Wrap and discard empty container in household garbage.