

2012-09-20

2012-1771

**KNOCKDOWN FARM, LIVESTOCK, FOOD PROCESSING  
PLANTS AND INSTITUTIONAL INSECT KILLER .5%  
PERMETHRIN**

PRESSURIZED/COMMERCIAL  
RESIDUAL CRACK, CREVICE  
& SURFACE INSECTICIDE

KILLS : Ants, Bed Bugs, Indian Meal Moth, Brown Dog Ticks , Carpet Beetles, Cluster Flies,  
Cockroaches, Crickets, Earwigs, Silverfish, Sowbugs, Spiders, House Flies, Stable Flies, Horse Flies, Face  
Flies, Black Flies, Horn Flies, Mosquitoes, Gnats & Keds.

FOR USE IN: Homes, Hotels, Motels, Non-food Areas of Hospitals, Transportation Equipment [Buses,  
Boats, Ships, Trains, Trucks (empty), Planes], Meat Packing and Food Processing Plants, Storage Areas,  
Restaurants, and other Food Handling Areas, Utilities, Warehouses, Animal Quarters, Milk Rooms & to  
Treat Livestock.

GUARANTEE:

Permethrin.....0.50%

REGISTRATION NO. 30092 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 150-775 g

CAUTION

EXPLOSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF THE REACH OF CHILDREN

KUUS INC. Value added Family products™.

450 TAPSCOTT RD UNIT 5-6A

Toronto, ON M1B 1Y4

1-800-267-0455

Proudly made in Canada

[www.knockdownbugs.com](http://www.knockdownbugs.com), [www.mosquitoshield.com](http://www.mosquitoshield.com)

Manufacturers of Mosquito Shield Insect Repellents

## DIRECTIONS FOR USE

**IN ANIMAL QUARTERS AND MILK ROOMS:** For spot control of House Flies and Stable Flies the spray should be directed to the surface of walls, ceilings, stalls, stanchions, doors, window frames, foundations, light fixtures and other places where insects may alight, congregate and enter. Milk cans and/or bulk tanks should be covered or removed during treatment.

**TO TREAT LIVESTOCK:** To protect dairy cattle, both lactating and non-lactating, from attacks of Face Flies, Horn Flies, Mosquitoes & Gnats and to protect horses from attacks of Horse Flies, Face Flies, House Flies, Horn Flies, Black Flies, Mosquitoes and Gnats: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome. For control of ked on sheep. This product may be used with an injection tube and for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injector tip 2 cm into cracks, crevices, holes and other small openings where insects may be a problem. Release approx. 1 second spray per spot in serious infestation, if possible, place spots approx. 30 cm in light infestation or preventive treatment place spots approx. 1 metre apart. See the additional directions below for effective control of specified insects.

**CRAWLING INSECTS:** Cockroaches, Crickets, Earwigs, Sowbugs, Spiders, and Brown Dog Ticks: Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, behind baseboards, meter boxes and manholes. Spray directly on insects in these locations where possible. Firebrats & Silverfish: Spray cracks and crevices in baseboards, door frames, bookcases and storage areas. Spray directly on insects in these locations where possible. Bed Bugs: Apply spray directly into cracks and crevices where these pests are found or may hide along and behind baseboards, moldings and floors underneath objects (e.g., floors underneath bed and nightstand). Apply directly to the insect if possible. Do not apply to the mattress, headboard, footboard or other furniture. Ants: Spray into trails, nests and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Stored Product Insects and hibernating stages of: Indian Meal Moth and Cluster Flies. Contact as many insects as possible when treating infested areas such as cracks and crevices, in wall voids, around windows and door frames, under siding, in machinery and in dark secluded areas.

**PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN.** Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin, clothing and avoid inhalation of vapors or spray mist. Applicators must wear protective clothing inclusive of hand, foot and eye covering. A CSA approved respirator must be used when applying Knock Down Farm, Livestock, Food Processing Plants & Institutional Insect Killer .5% Permethrin. In an enclosed space provide ventilation during treatment and until spray has dried completely. Wash thoroughly after handling and before eating, drinking, etc. Do not apply to plants, animals or humans. Remove pets and fishbowls from area before treatment and do not return them for at least 4 hours after treatment. Do not apply to surfaces that children or pets might contact. Firewood is not to be treated. Do not apply to classrooms when in use. **DO NOT CONTAMINATE FOODSTUFFS.** Do not use in food handling establishments, restaurants or other areas where food is prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Do not use in any areas where food is being stored, handled or served. **Meat Packing Plants and Food processing Plants:** In meat packing plants and food processing plants treat only when plant is not in operation. No exposed meat or food products, ingredients or packaging materials are to be kept in the room. Cover food handling equipment. All treated surfaces that might contact meat, food products or other food products should be washed and rinsed thoroughly with potable water after treatment and before re-use for food processing. **Hospitals:** Do not apply this product in nurseries, patient rooms or any rooms occupied by elderly or infirm. **CONTENTS UNDER PRESSURE.** Do not puncture or incinerate container. Do not store or use near heat or open flame or while smoking. Exposure to temperature above 50 degrees C may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

**STORAGE:** Keep product in cool and dry place, away from open flames and heat sources.

**FIRST AID:** If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. In case of contact with eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically. This product contains petroleum distillate. Vomiting may cause aspiration pneumonia.

**DISPOSAL:** When container is empty, press valve to release all remaining pressure. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.