

2025-4001  
2025-09-18

This label has been updated according to the re-evaluation decision for Abamectin, RVD2025-04. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 2027-07-31 in accordance with the phase out period set out in the re-evaluation decision for Abamectin, RVD2025-04. This previously approved label will be provided upon request by emailing [hc.pmra.info-arlasc@canada.ca](mailto:hc.pmra.info-arlasc@canada.ca). In your email please include the product name and Registration number of the label you are requesting.

Unit Label

**PRESCRIPTION TREATMENT® brand****AVERT®****Dry Flowable Cockroach Bait**

- Crack & Crevice® Bait
- Kills Cockroaches

**COMMERCIAL****ACTIVE INGREDIENT:**

Abamectin ..... 0.050%

Contains 1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride at 0.043%,  
as a preservative

**OR**

Contains cis-1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride at 0.064%,  
as a preservative

**OR**

Contains 1,2-benzisothiazolin-3-one at 0.04000%, 5-chloro-2-methyl-4-isothiazolin-3-one at  
0.00111%, 2-methyl-4-isothiazolin-3-one at 0.00037% and 2-bromo-2-nitropropane-1,3-diol at  
0.02400%, as preservatives

**KEEP OUT OF REACH OF CHILDREN****REGISTRATION NO. 28403****PEST CONTROL PRODUCTS ACT****CAUTION – EYE IRRITANT**

See brochure for Precautions and Directions for Use.

**READ THE LABEL AND ATTACHED BROCHURE BEFORE USING****OR****READ THE LABEL AND ACCOMPANYING BROCHURE BEFORE USING**

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY  
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT 1-800-454-2673.

**NET WEIGHT: 30 grams (per bait unit)**

BASF Agricultural Solutions Canada Inc.

510 - 28 Quarry Park Blvd. SE

Calgary, Alberta T2C 5P9

1-877-371-2273

PRESCRIPTION TREATMENT is a registered trade-mark of BASF Corporation, used under  
license by BASF Agricultural Solutions Canada Inc.

2025-4001  
2025-09-18

Carton Label

**PRESCRIPTION TREATMENT® brand**

**AVERT®**

**Dry Flowable Cockroach Bait**

- Crack & Crevice® Bait
- Kills Cockroaches
- Contains approximately 200 bait placements

**COMMERCIAL**

**ACTIVE INGREDIENT:**

Abamectin ..... 0.050%

Contains 1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride at 0.043%,  
as a preservative

**OR**

Contains cis-1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride at 0.064%,  
as a preservative

**OR**

Contains 1,2-benzisothiazolin-3-one at 0.04000%, 5-chloro-2-methyl-4-isothiazolin-3-one at  
0.00111%, 2-methyl-4-isothiazolin-3-one at 0.00037% and 2-bromo-2-nitropropane-1,3-diol at  
0.02400%, as preservatives

**KEEP OUT OF REACH OF CHILDREN**

**REGISTRATION NO. 28403**

**PEST CONTROL PRODUCTS ACT**

**CAUTION – EYE IRRITANT**

See enclosed brochure for Precautions and Directions for Use.

**READ THE LABEL AND ATTACHED BROCHURE BEFORE USING**

**OR**

**READ THE LABEL AND ACCOMPANYING BROCHURE BEFORE USING**

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY  
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT 1-800-454-2673.

**NET WEIGHT: 30 grams (per bait unit)**

BASF Agricultural Solutions Canada Inc.

510 - 28 Quarry Park Blvd. SE

Calgary, Alberta T2C 5P9

1-877-371-2273

PRESCRIPTION TREATMENT is a registered trade-mark of BASF Corporation, used under  
license by BASF Agricultural Solutions Canada Inc.

2025-4001  
2025-09-18

Brochure

**PRESCRIPTION TREATMENT® brand**  
**AVERT®**  
**Dry Flowable Cockroach Bait**

**EFFECTIVE AGAINST:** Cockroaches (including carbamate, organophosphate, organochlorine and pyrethroid resistant strains)

**FOR USE IN:** Garages, Homes, Hospitals and Nursing Homes (non-occupied patient areas), Hotels, Motels, Schools\*, Transportation Equipment (Buses, Boats, Ships, Trains, Planes), Utilities, Warehouses, and other commercial and industrial buildings

\* Do not apply to classrooms when in use.

**COMMERCIAL**

**ACTIVE INGREDIENT:**

Abamectin ..... 0.050%

Contains 1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride at 0.043%,  
as a preservative

**OR**

Contains cis-1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride at 0.064%,  
as a preservative

**OR**

Contains 1,2-benzisothiazolin-3-one at 0.04000%, 5-chloro-2-methyl-4-isothiazolin-3-one at 0.00111%, 2-methyl-4-isothiazolin-3-one at 0.00037% and 2-bromo-2-nitropropane-1,3-diol at 0.02400%, as preservatives

**KEEP OUT OF REACH OF CHILDREN**

**REGISTRATION NO. 28403**

**PEST CONTROL PRODUCTS ACT**

**CAUTION – EYE IRRITANT**

**READ THE LABEL AND ATTACHED BROCHURE BEFORE USING**

**OR**

**READ THE LABEL AND ACCOMPANYING BROCHURE BEFORE USING**

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY  
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT 1-800-454-2673.

BASF Agricultural Solutions Canada Inc.  
510 - 28 Quarry Park Blvd. SE  
Calgary, Alberta T2C 5P9  
1-877-371-2273

PRESCRIPTION TREATMENT is a registered trade-mark of BASF Corporation, used under license by BASF Agricultural Solutions Canada Inc.

## DIRECTIONS FOR USE

### IMPORTANT NOTICE

Only to be used by individuals holding an appropriate pesticide applicator certificate or license recognized by the provincial/territorial pesticide regulatory agency where application occurs.

- Do not apply to humans, animals, clothing or bedding.
- Do not use on or contaminate fruit, vegetables or other food or feed crops.
- Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.
- Do not dispense this product with power dusters in confined areas (i.e. attics, hot water heater closets, furnace rooms, etc.) in the presence of open flames, such as pilot lights.

### APPLICATION INSTRUCTIONS

#### **DO NOT APPLY TO AREAS ACCESSIBLE TO CHILDREN.**

**Prescription Treatment brand AVERT Dry Flowable Cockroach Bait** is intended for application with the supplied hand duster to hiding and runway areas and those places cockroaches are found. Apply insecticide directly into cracks and crevices. Apply lightly and uniformly to infested areas. Pay particular attention to cracks and crevices; service ducts; false floors and ceilings; wall voids; around electrical and telephone fittings and equipment; around water and sewer pipes; under and behind cabinets, refrigerators and sinks; around window and door frames; and in attics and crawl spaces.

The amount to be applied will vary with the site. Concentrate treatment at insect activity sites. For light infestations, a minimum of 4 - 6 bait points is recommended per 9 m<sup>2</sup> of treatment area. For heavy infestations, a minimum of 12 - 24 bait points is recommended per 9 m<sup>2</sup> of treatment area. One bait point is equivalent to 0.15 g of product. Repeat treatment as necessary to maintain adequate control.

Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.

**APPLICATION IN ALL EXCEPT FOOD/FEED HANDLING AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS AND AIRCRAFT CABINS:** Apply thoroughly to all areas where cockroaches crawl and hide, especially in cracks and crevices and hidden surfaces around sinks and storage areas, behind baseboards, around doors and windows, behind and under cabinets, stoves, behind refrigerators and in attics and crawl spaces.

**APPLICATION IN FOOD AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS:** Food/feed handling establishments are places other than private residences in which food/feed is held, processed, prepared or served. Food areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) would also be considered a food area.

Apply prescribed amounts of **Prescription Treatment brand AVERT Dry Flowable Cockroach Bait** for cockroaches to be treated. Care should be taken to avoid depositing the product onto

exposed surfaces or introducing the material into the air. Avoid contamination of food, food utensils or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS ARE LIMITED TO CRACK AND CREVICE TREATMENT ONLY.

**AIRCRAFT CABINS:** Apply baits in suspected and infested cockroach areas. Place a bait placement in areas between elements of construction. Use 12 - 24 bait placements per 9 m<sup>2</sup>. Do not apply any bait in cockpit area.

#### **PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Do not allow to contact skin, eyes or clothing. If contact occurs, wash skin with soap and warm water, or eyes with clean water. Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before re-use. Do not apply where children (or domestic animals) are likely to come in frequent contact with treated areas. Any powder visible after application is complete should be brushed into cracks or crevices or removed. No generalized dusting should be done in household areas accessible to children or pets.

Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes during mixing, loading, application, clean-up and repair.

**DO NOT** place on food preparation items/surfaces or directly over food

Care should be taken to avoid the pesticide exiting the void. Any residue deposits on non-target surfaces must be removed by the applicator.

**FIRST AID:** If swallowed, call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

#### **ENVIRONMENTAL PRECAUTIONS**

This product may be TOXIC to birds, mammals, and pets. Avoid application in areas frequented by these animals. Animals may be attracted to this product. Clean up any spilled product.

This product is TOXIC to fish and other aquatic organisms. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by application or disposing of wastes.

**STORAGE:** Store in a tightly closed container in a cool, dry place. To prevent contamination, store this product away from food or feed.

**DISPOSAL:** Do not reuse empty container. Dispose of empty carton and used bait stations in garbage. For information on disposal of unused, unwanted product, contact the registrant or the provincial or territorial regulatory agency. Contact the registrant and the provincial or territorial regulatory agency in case of a spill, and for clean-up of spills.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

#### **NOTICE TO USER**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.