Onguard PRO-PERM INSECT KILLER

WATER BASED SOLUTION

DOMESTIC

ACTIVE INGREDIENT:

Permethrin.... 0.35% Contains sodium benzoate at 0.1% as a preservative

INDOOR & OUTDOOR USE

FAST ACTION

RESIDUAL (24/7)

CONTINUOUS COCKROACH KILLING ACTION FOR 60 DAYS LONGLASTING ACTIVITY AGAINST BROWN DOG TICKS, FLEAS AND SPIDERS

CONTAINS D-LIMONENE & LEMONGRASS FRAGRANCE

NON FLAMMABLE

REG. NO. 32333 P.C.P. ACT

NET CONTENTS 100ml to 4L

KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING

UR-CAN INC. 2211 Brant St. PO Box 20069 Burlington, ON L7P 0A4 (905) 454-6327

TO CONTROL ANTS, BROWN DOG TICKS, CARPET BEETLES, CLOTHES MOTHS, COCKROACHES, CRICKETS, FIREBRATS, FLEAS, HOUSE FLIES, RED FLOUR BEETLES, RICE WEEVILS, SILVERFISH, SOWBUGS, SPIDERS, AND APHIDS AND WHITEFLIES ON INDOOR PLANTS. ALSO KILLS BEDBUGS AND EARWIGS.

<u>DIRECTIONS:</u> For spot or crack and crevice applications only. Do not use as a space spray or broadcast application. Apply with attached trigger sprayer. Adjust nozzle to suitable spray pattern. Apply directly to pests if possible. If pests continue to be a problem, repeat application as necessary

FOR INDOOR USES:

ANTS, COCKROACHES, CRICKETS, EARWIGS, FIREBRATS, SILVERFISH, SOWBUGS, SPIDERS, RED FLOUR BEETLES, AND RICE WEEVILS: Direct the spray into hiding places, cracks, crevices, behind shelves and drawers. For ants, cockroaches, silverfish, sowbugs and spiders, also spray along door sills, baseboards and openings around sinks, drains and pipes, behind stoves and refrigerators, around window frames, in localized areas of attics and basements and around interior foundations. For silverfish, also spray bookcases. For ants, also spray trails, nest and points of entry. CARPET BEETLES: Spray edges of carpeting and under carpeting and rugs for approximately 10 seconds duration. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. FLEAS (ADULT AND LARVAE) AND BROWN DOG TICKS (ADULT AND NYMPHS): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and doorframes. Fresh bedding should be placed in animal quarters following treatment. Allow to dry thoroughly before allowing pets to contact treatment areas. BED BUGS: Apply spray directly into cracks and crevices where these pests are found or may hide along and behind baseboards, moldings and floors underneath objects such as the bed and nightstand. Apply directly to insect if possible. CLOTHES MOTHS: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray to empty chests, closets, bureaus and other storages, directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least 90 centimeters (three feet) from fabric to avoid staining. Allow articles to dry before handling and launder cloths before wearing. HOUSE FLIES: Spot treatment only. Spray inside around windows and doors where insects enter or rest.

FOR OUTDOOR USES:

ANTS, CRICKETS, FLEAS, SPIDERS, SOWBUGS AND BROWN DOG TICKS: Spray outside surfaces of screens, doors, window frames, foundations, eave troughs, under eaves, patios, light fixtures and other places where insects may congregate on the structure or enter the structure. HOUSE FLIES: Spot treatment only. Spray outside around windows and doors where insects enter or rest. Vinyl and Aluminum Siding: The application of this product to vinyl and aluminum siding (particularly lightly colored, aged, weathered or otherwise damaged) may result in staining, bleaching or discoloration. Factors such as extreme heat and direct sunlight can promote damage. Before applying to vinyl or aluminum siding, treat a small area and evaluate 30 minutes later to allow any potential staining to occur. Regardless of the test results, do not apply to vinyl or aluminum siding while exposed to direct sunlight or during the heat of the day.

FOR INDOOR PLANTS:

APHIDS AND WHITEFLIES: Spray surfaces of upper and lower leaves of plants until damp, but not to the point of running off. Safe for use on most plants. Before treating delicate plants, spray only 1-2 leaves and wait 2 days to be sure the plant leaves are not damaged.

LIMITATIONS: DO NOT USE on humans or animals. The application of this product to vinyl and aluminum siding (particularly lightly colored, aged, weathered or otherwise damaged) may result in staining, bleaching or discoloration. Factors such as extreme heat and direct sunlight can promote damage. Before applying, treat a small area of the siding and evaluate 30 minutes later to allow any potential staining to occur. Regardless of the test results, do not apply to vinyl or aluminum siding while exposed to direct sunlight or during the heat of the day. Do not apply to tapestries, wall paper or similar materials that may be stained. For all other surfaces, test a small inconspicuous area of the surface to be treated for color fastness & staining before full application.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. DO NOT USE AS A SPACE SPRAY. Do not use in areas where food is handled, prepared or stored. Wash thoroughly after handling and before smoking or eating. Remove pets and birds and

cover fish aquariums before surface applications. After use and at least one (1) hour drying time, wash all surfaces that may contact food. Do not use on humans or animals. Do not allow people or pets to contact treated areas until surfaces are dry. This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to lakes, rivers, streams, ponds, tidal marshes and estuaries. Do not contaminate the above mentioned aquatic areas through spray drift, cleaning of equipment or disposal of waste.

<u>FIRST AID</u>: If in eyes: hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not reuse empty container. Wrap empty container and discard in household garbage.

100 ML TO 4 L TRIGGER SPRAYER

APPLICATOR DIRECTIONS:

Adjust spray nozzle to desired spray pattern and squeeze trigger to operate.

STORAGE: Rotate nozzle to closed position. Close nozzle on trigger spray.