

Seclira pressurized insecticide

technology sheet

Seclira® pressurized insecticide includes a new active ingredient from BASF, providing long-lasting control and an additional tool for resistance management.

- High variety of use sites and wide use patterns make Seclira suitable for a range of situations, including residential and commercial kitchens
- Controls pyrethroid resistant bed bugs
- Dries without residue and provides an undetectable, non-repellent option with unsurpassed transfer effect, reducing the risk of unwanted pest sightings during treatment
- Fast knock-down and long residual allow pest operators peace of mind and reduced call-backs after application

Active ingredient

Dinotefuran – Group 4A

Formulation

Pressurized insecticide

One package contains

12x 567g

Storage

Store in a cool, dry area away from heat or open flame and inaccessible to children and pets. To prevent contamination, store this product away from food or feed.

For use in and around

Apartments, food/feed handling establishments¹, homes, hospitals, hotels, motels, nursing homes, resorts, schools, nurseries and daycare centers, stores, transportation vehicles (e.g., aircrafts², buses, boats, ships, trains, trailers and trucks), utilities, warehouses and other commercial, industrial and residential buildings

Non-food/feed areas: garbage rooms, restrooms, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling) and serving areas when no food/feed is present.

Food/feed areas: areas for receiving, storing, packing (canning, bottling, wrapping, boxing) and preparing food/feed, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food/feed is exposed and facility is in operation) are also considered food/feed areas.

Pests controlled

Ants
Asian lady beetles
Bed bugs
Boxelder bugs
Clover mites
Cockroaches (excluding American cockroaches)
Crickets
Flour beetles (red and confused)

Also provides residual control of ants indoors for up to 3 months on non-porous substrates such as tile.

¹ Food/feed handling establishments are places other than private residences in which food/feed is held, processed, prepared or served. This includes food/feed processing plants, food/feed storage areas, meat and poultry processing plants, restaurants and supermarkets.
² Use in cargo areas only. DO NOT use in aircraft cabins.

 **BASF**
We create chemistry

Directions for use

Seclira pressurized insecticide is a ready-to-use insecticide that kills listed pests on contact, as well as providing residual control. Use this product with the supplied actuator and injection tubes. Hold container upright when spraying. Apply this product directly to listed pests where possible. This product may be applied using the following techniques:

Crack and Crevice Treatment: Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.

Indoor Perimeter Treatment: Indoor perimeter application is less than 0.3 m wide along the edges of a room to baseboards, wall-floor and ceiling-wall joints, and around doorways or windows.

Spot Treatment: A spot application is localized to a surface area not greater than 0.2 m². Spots are not to be adjoining. The combined area of spots is not to exceed 10% of the total surface area of a room.

Void Treatment: An application into inaccessible, enclosed empty spaces of a structure. For example, hollow walls and suspended ceilings.

Application instructions

- Apply to structural surfaces where listed pests are found, may hide or may enter the structure.
- Apply directly to listed pests where possible.
- This product may be re-applied after 10 days if pests continue to be a problem.

See label for pest specific instructions for indoor and limited outdoor treatments.

Application tips

Users should treat a small, inconspicuous area of the surface first to ensure there are no adverse effects such as staining or discolouration before making a full scale application to a surface.

Resistance management

Where possible, rotate the use of Seclira pressurized insecticide or other Group 4 insecticides with different groups that control the same pests in a location.

Restrictions

See label for use restrictions.

For more information

Contact your supplier or visit **BetterPestControl.ca**

Always read and follow label directions.

SECLIRA is a registered trade-mark of BASF, used under license by BASF Canada Inc. © 2021 BASF Canada Inc.