

Safety Data Sheet
MAXFORCE® ROACH KILLER BAIT GEL

SDS Number: 102000001393 SDS Version 1.4 Revision Date: 05/02/2014 Print Date: 05/02/2014

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product name MAXFORCE® ROACH KILLER BAIT GEL

SDS Number 102000001393
Product code (UVP) 05938384
PCP Registration No.
Product Use 102000001393
24240
Insecticide

Bayer CropScience Inc #200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)

For Product Information call: 1-888-283-6847

SECTION 2. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Warning! Poison. Harmful if swallowed. Avoid contact with skin, eyes and

clothing. Keep exposed gel away from open food and food contact surfaces.

Physical State gel

Odor odourless

Appearance brown

Exposure routes Ingestion, Skin contact, Eye contact

Immediate Effects

Eye May be minimally irritating following prolonged direct contact. Do not get in eyes.

Skin May be minimally irritating following prolonged direct contact. Avoid contact with

skin and clothing.

Ingestion Harmful if swallowed. Do not take internally.

Chronic or Delayed

Long-Term

This product or its components may have target organ effects. This product or its

components may have long term (chronic) health effects.



Safety Data Sheet MAXFORCE® ROACH KILLER BAIT GEL

SDS Number: 102000001393 SDS Version 1.4

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
Hydramethylnon	67485-29-4	2.15
Oleic acid	112-80-1	2.15
Starch	9005-25-8	1.00

SECTION 4. FIRST AID MEASURES

General When possible, have the product container or label with you when calling a

poison control center or doctor or going for treatment.

Eye Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a physician or poison control center immediately.

Skin Wash off immediately with plenty of water for at least 15 minutes. Take off

contaminated clothing and shoes immediately. Call a physician or poison control

center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give

water in small sips to drink. DO NOT induce vomiting unless directed to do so by

a physician or poison control center. Never give anything by mouth to an

unconscious person.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a physician or

poison control center immediately.

Notes to physician

Signs and Local:

Symptoms To date no symptoms are known.

Systemic:

May cause stuffy or runny nose and scratchy throat.

Lacrimation Lethargy Diarrhoea

Treatment There is no specific antidote. Appropriate supportive and symptomatic treatment

as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash point no data available



SDS Number: 102000001393 SDS Version 1.4

Safety Data Sheet MAXFORCE® ROACH KILLER BAIT GEL

Autoignition temperature no data available

Lower Flammability

Limit

no data available

Upper Flammability Limit no data available

Explosiveness not applicable

Fire and Explosion

Hazards

Dangerous gases are evolved in the event of a fire.

Suitable extinguishing

media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

Fire Fighting Instructions

Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter

drains or water courses.

In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective

clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled

product or contaminated surfaces.

Methods for cleaning up The nature of this product, when contained in commercial packs, makes spillage

unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and

objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or

waste water canal.

SECTION 7. HANDLING AND STORAGE

Handling procedures No specific precautions required when handling unopened packs/containers;

follow relevant manual handling advice. Ensure adequate ventilation.

No special precautions required.



Safety Data Sheet MAXFORCE® ROACH KILLER BAIT GEL

SDS Number: 102000001393 SDS Version 1.4

Storing Procedures Store in a cool, dry place and in such a manner as to prevent cross

contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked

storage area. Keep away from direct sunlight. Protect from freezing.

Keep away from food, drink and animal feedingstuffs.

Work/Hygienic Procedures

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash

thoroughly and put on clean clothing.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection Follow manufacturer's instructions for cleaning/maintaining PPE. If no such

instructions for washables, use detergent and warm/tepid water. Keep and wash

PPE separately from other laundry.

Eye/Face Protection Tightly fitting safety goggles

Hand protection Chemical resistant nitrile rubber gloves

Body Protection Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory protection When respirators are required, select NIOSH approved equipment based on

actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Starch 9005-25-8 CAD AB OEL TWA 10 mg/m3

CAD BC OEL TWA 10 mg/m3 CAD BC OEL TWA 3 mg/m3 CAD MB OEL TWA 10 mg/m3 CAD ON OEL **TWAEV** 10 mg/m3 10 mg/m3 CAD SK OEL 8 HR ACL 20 mg/m3 CAD SK OEL 15 MIN ACL OEL (QUE) **TWA** 10 mg/m3

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance brown

Physical State gel



SDS Number: 102000001393 SDS Version 1.4

Safety Data Sheet MAXFORCE® ROACH KILLER BAIT GEL

Odor odourless

pH 6.5 - 7.5

Vapor Pressure no data available

Vapor Density (Air = 1) no data available

Density ca. 1.10 g/cm³

Evapouration rate no data available

Boiling Point no data available

Melting / Freezing Point no data available

Water solubility partly soluble

Minimum Ignition Energy no data available

Decomposition temperature

Stable under normal conditions.

Partition coefficient: n-

octanol/water

no data available

Viscosity ca. 140,000 - 300,000 mPa.s at 25 °C

ca. 90,000 - 165,000 mPa.s at 25 °C

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatibility Store only in the original container.

Hazardous Decomposition Products

No decomposition products expected under normal conditions of use.

Hazardous reactions No hazardous reactions when stored and handled according to prescribed

instructions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity studies have been bridged from a similar formulation containing a similar percentage of the active ingredient. The non-acute information pertains to the technical-grade active ingredient, hydramethylnon.



SDS Number: 102000001393 SDS Version 1.4

Safety Data Sheet MAXFORCE® ROACH KILLER BAIT GEL

Acute oral toxicity rat: LD50: > 5,000 mg/kg

Acute dermal toxicity rabbit: LD50: > 2,000 mg/kg

Skin irritation rabbit: No skin irritation

Eye irritation rabbit: No eye irritation

Sensitisation guinea pig: Non-sensitizing.

OECD Test Guideline 406, Buehler test

Chronic toxicity Hydramethylnon caused specific target organ toxicity in experimental animal

studies in the following organ(s): testes, kidneys.

Assessment Carcinogenicity

Hydramethylnon was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Starch 9005-25-8 Group A4

NTP None. IARC None. OSHA None.

Reproductive toxicity Hydramethylnon caused reproduction toxicity in a two-generation study in rats

only at dose levels also toxic to the parent animals. Hydramethylnon caused

testicular damage and male infertility.

Developmental Toxicity Hydramethylnon caused developmental toxicity only at dose levels toxic to the

dams. Hydramethylnon caused a delayed foetal growth.

Mutagenicity Hydramethylnon was not mutagenic or genotoxic in a battery of in vitro and in

vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity to fish Rainbow trout (Oncorhynchus mykiss)

LC50: 0.16 mg/l Exposure time: 96 h

The value mentioned relates to the active ingredient hydramethylnon.

Toxicity to aquatic plants Selenastrum capricornutum

EC50: 0.005 - 0.018 mg/l Exposure time: 72 h

The value mentioned relates to the active ingredient hydramethylnon.



Safety Data Sheet

MAXFORCE® ROACH KILLER BAIT GEL

SDS Number: 102000001393 SDS Version 1.4

Acute Toxicity to Aquatic Water flea (Daphnia magna)

Invertebrates

EC50: 1.14 mg/l Exposure time: 48 h

The value mentioned relates to the active ingredient hydramethylnon.

Environmental precautions

Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the

label.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal

Guidance

Follow container label instructions for disposal of wastes generated during use in compliance with the product label. Never place unused product down any indoor

or outdoor drain.

Container Disposal

Do not re-use empty containers. Place empty container in trash. Follow advice

on product label and/or leaflet.

SECTION 14. TRANSPORT INFORMATION

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.

SECTION 15. REGULATORY INFORMATION

24240 PCP Registration No.

US Federal Regulations

TSCA list

112-80-1 Oleic acid 9005-25-8 Starch

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Hydramethylnon 67485-29-4 25,000lbs

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Hydramethylnon 67485-29-4 Developmental toxin. Hydramethylnon 67485-29-4 Male reproductive toxin.

US State Right-To-Know Ingredients



SDS Number: 102000001393 SDS Version 1.4

Safety Data Sheet

MAXFORCE® ROACH KILLER BAIT GEL

 Hydramethylnon
 67485-29-4
 NJ

 Oleic acid
 112-80-1
 RI

 Starch
 9005-25-8
 MN

Canadian Regulations

Canadian Domestic Substance List

Oleic acid 112-80-1 Starch 9005-25-8

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Starch 9005-25-8

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Reviewed and updated for general editorial purposes.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 05/02/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.